



GREAT EFFECTS FOR PARTIES AND SHOWS



PANGOLIN LASER SYSTEMS
OFFICIAL DISTRIBUTOR

PULL THE TRIGGER
ON TARGET FOR PARTIES AND SHOWS

VISIT OUR WEBSITE
WWW.STAGE-EFFECTS.BE

Stage-Effects is constantly looking for new dealers.
Please contact us for more information.

Needs special AC110-220V

ILDA

PC operated

PC operated

DMX operated

Sound activation

Auto activation

Remote control

Wire control

Needs special sound

Battery operated

Leaf lights

Bluetooth

USB connection

100-watt

RGB Red Green Blue color

A QR Barcode is a machine-readable optical label that contains information about the item to which it is attached. Scan the barcode with a barcode scanner on your smartphone.

LIGHTS	4	SMOKE	50	Arch Balloons Kit	107
Power LED	5	Propan	51-55	Ballroom Tapes / Confetti / ...	110-111
Blue Light	6	Ground Smoke	56-57	Balloon Drop / Release net	110-111
UV & Sirens	7	CO, Jels	58-60	Balloon Machine	112
LED Balls	8			INFLATABLES	113
LED Ribbon & Garland	9	CONFETTI	61	Inflatables	114-116
LED Lights	10	Headshot Shooter	62	LOUNGE	120
LED Bar	11	Confetti Cannon & Poppers	63-64	Lounge	121-125
LED Bar	12	Shower Cannon & Snowflakes	67-68	PARTY	126
LED Streetlights	13	Gun Gun & Shooter	69	Party	127-142
Moving Heads	14-15	Shower Cannon Shooter	70		
Map Head	16	Confetti Launcher & Gun	71		
Green & Blue Spotlights	17	Mini Shot Launcher & Roof Cannon	72		
LED Candles	18-19	Confetti Apparatus & Cannon	73		
Scanning Signs	20	Shower Cannon Cannon & Bridge	74		
Barrel Head	21	Balloon Shooter & Stage Shot Machine	75		
LED Effects	22-24	CO, Confetti Cannon	76		
LASER	25	EXTRA	77		
Twinkling	26-28	System	78-79		
Single Color	29	Beam	80		
Multi Color	30	DI Booth	81		
RGB	31-34	Minor Decoration	82-83		
Star	35	Major Decoration	84-85		
Color Network	36-37	Sound	86-87		
Accessories	38	Triggers	88		
Software	39	DMX Controllers	89		
SNOW	40	Blue Tooth Controller	90		
Snow & Frost Machines	41-42	Screen	91		
BUBBLES	43	FOIL BALLOONS	92		
Bubbles	44-45	Trailer Sign	93		
FIRE	46	Launch & Launching	94-95		
Flame Lights	47	Sound Foil Balloons	96		
Shooting	48-49	Star Foil Balloons	100		
		Heart Foil Balloons	101-102		
		Foil Balloons with Print	103		
		Foil Balloons Different Shapes	104		
		Arch Foil Balloons	105-106		

STEP INTO THE LIGHT

Efficient LED products, amazing effects, high-powered attention grabbers... whether it's static or highly creative lighting, we've got you covered.

Index 3

4 Lights

Power LED Bulb

84246



Power: 5 W
Efficacy: 67 lm/W
Color: Warm White



High Power RGB LED, MR16

84183



Voltage: DC 12 V
Base: MR16
Color: RGB 8 x 1 W
Size: 50 x 45 mm



High Power LED, MR16

84185



Voltage: DC 12 V
Base: MR16
Color: Warm white 8 x 1 W
Size: 50 x 45 mm



Remote Control

84187



IR remote for RGB lights



High Power RGB LED, GU10

84184



Voltage: AC 230 V
Base: GU10
Color: RGB 8 x 1 W
Size: 50 x 58 mm



High Power LED, GU10

84186



Voltage: AC 230 V
Base: GU10
Color: Warm White 8 x 1 W
Size: 50 x 58 mm



UV LED Light

85220



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 30 W
Light source: 2 x 3 W UV LED
UV wave: 365 - 390 nm
Driver current: 800 mA
Control mode: Sound remote control
Size: 180 x 100 mm
Weight: 300 x 60 x 90 mm

LED display to adjust sound active sensitivity and stroke speed.
Remote function for strobe, chasing, sound active in options.



Strobe, 1500 W

64480



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 1500 W
Control mode: Auto
Size: 340 x 230 x 180 mm
Weight: 4.0 kg

Adjustable flash speed



Mini Strobe

64393



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 170 x 110 x 50 mm
Weight: 300 g

Adjustable flash speed



Strobe, 3000 W, DMX

84400




Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 3000 W
Control mode: Auto, DMX
Size: 440 x 240 x 140 mm
Weight: 8 kg

Adjustable strobe flash with slider function



Power LED Lights 5



6 Lights Blacklight

Blacklight Lamp

84667



Voltage: AC 230 V
Frequency: 50 - 60 Hz
Power: 15 W
Base: E27

LED Blacklight

64569



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
LED: 125 6013 mm
Control mode: Auto play sound DMX
Size: 355 x 250 x 250 mm
Weight: 1.5 kg



LED Star Ball, White

84028



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 20 W
LED: 1 x 9 W DMX LED
Control mode: Auto play sound DMX
Size: 210 x 210 x 170 mm
Weight: 1.2 kg



LED Star Ball, RGB

84027



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 20 W
LED: 1 x 9 W RGB LED
Control mode: Auto play sound DMX
Size: 210 x 210 x 170 mm
Weight: 1.2 kg



LED Magic Ball

84425

Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 20 W
LED: 1 x 9 W DMX LED
Control mode: Auto play sound DMX
Size: 195 x 195 x 195 mm
Weight: 1.5 kg

The LED Magic Ball creates amazing patterns of light, displaying color and water running effects with adjustable color, speed and brightness.



6 Lights LED Ball

UV & Strobes Lights 7

Flame Light Garland

84128



Voltage	AC 220 - 240 V
Frequency	50 - 60 Hz
Socket	E14
Length	500 cm
Features	10 bulbs

Flame Light Bulb

84982



Base	E14
------	-----

LED Ribbon Set 30SMD

64643



Length	5 m
30SMD 16MS RGB LED Ribbon	
Wireless control and transformer included.	
Suitable for indoor and outdoor use.	

LED Ribbon Set 60SMD

84150



Length	5 m
60SMD 16MS RGB LED Ribbon	
Wireless control and transformer included.	
Suitable for indoor and outdoor use.	

LED Light Garland

84127



Voltage	AC 220 - 240 V
Frequency	50 - 60 Hz
Length	1250 cm
Features	33 bulbs

4 programs built in

Magnetic LED light

84516



Mounting plate


On a fog machine

On a CO₂ jet

On a confetti launcher

Voltage	AC 220 - 240 V
Frequency	50 - 60 Hz
Power	34 W
LEDs	16 x 5 W
Control mode	Auto play, sound, DMX
DMX channels	7 channels
Size	200 x 140 x 52 mm
Weight	250 x 250 x 60 mm
	2.5 kg

This light effect has a magnetic back, which allows it to be mounted on all kinds of stage effects machines such as fog machines, confetti launchers, CO₂ jets. If the magnetic back doesn't attach to your machine, there's also the possibility to screw the light on the machine with 4 thumbs screws.



LED Lights 11

LED Blue Police Light

84426



Voltage	12 V / 500 mA
Power	6 W
Rotation speed	Adjustable
LED	168 high intensity LEDs
Size	145 mm x 102 mm
Weight	0.47 kg




LED Ice Light

84235



Voltage	AC 100 - 240 V
Frequency	50 - 60 Hz
Size	60 cm

Features LEDs with an ice melt mode. Displays a chipping effect. Suitable for outdoor use.




Outdoor Light Rail

Add a colorful accent to highways, restaurants, camps, cities... the effect can be set up anywhere, anytime.

The rail is extremely effective and easily connectable.

Specially designed for outdoor use. Super bright, waterproof and noise-proof.



64571 LED outdoor light rail, 100 cm, RGB, clear glass, connectable


84297 LED outdoor light rail, 100 cm, RGB, white milky glass, connectable

84149 LED outdoor light rail, 100 cm, white flashing lights, connectable



Long RGB LED bar

64606



Voltage	AC 100 - 240 V
Frequency	50 - 60 Hz
LED	251 LEDs / 5 mm
Control mode	Auto play, sound, DMX
Size	85 x 1070 x 15 mm
Weight	3 kg

Indoor use



LED bar RGB

84353



Voltage	AC 100 - 240 V
Frequency	50 - 60 Hz
Power	20 W
LED	72 LEDs / 7.5 mm
Control mode	Auto play, sound, DMX
Size	1030 x 125 x 125 mm
Weight	3 kg

Indoor use. Power connect.



RGB LED Light

64590



Voltage	AC 100 - 240 V
Frequency	50 - 60 Hz
LED	177 LEDs / 5 mm
Control mode	Auto play, DMX
Size	335 x 210 x 210 mm
Weight	2.5 kg



UV LED Light

85220



Voltage	AC 100 - 240 V
Frequency	50 - 60 Hz
Power	35 W
Light source	9 x 50W UV LED
UV wave	365 - 400 nm
UV output	600 mW
Control mode	sound, remote control
Size	565 x 60 x 90 mm
Weight	1.24 kg

LED display to adjust sound, white sensitivity and shutter speed. Remote function for screen, flashing, sound, AC is optional.



LED Flat Par Light RGBW

84024



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 75 W
LED: 9 x 1 W 1 LED / 9 W
Control mode: Auto play, sound DMX, Master/slave
Beam angle: 25°
Stroke: 10 Redheads (any color)
Size: 250 x 250 x 140 mm
Weight: 2.5 kg

Connectable 0-100% with optional color control. 4-button LED display with password protection.




RGB LED Par 64

64592



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
LED: 144 LEDs / 144 W
Control mode: Auto play, DMX



LED Par Spot

84303



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
LED: 7 x 9 W 1 LED / 63 W
Control mode: Auto play, sound DMX
Size: 240 x 180 mm
Weight: 18.5 kg

incl. 4-point test controller with case. Serial DMX131 not included.



84198

height: 180 cm

LED COB Spot Set 4x30W RGB

85225



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 144 W
LED: 4 x 30 W COB 1x-color LED
Control mode: DMX, Auto play, sound DMX
Size: 1000 x 95 x 250 mm
Weight: 8.1 kg

25 built-in actions. Start, color, strobe, shutter, color mixing and changing effects. Run and stroke speed can be adjusted.



LED Beam Moving Head Lights

84543



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 120 W
LED: 4 x 10 W CREE white LEDs
Control mode: Auto play, sound DMX, Master/slave
Diameter: 0 - 100%
Stroke: 0-30 degrees, various effects
Weight: 15 kg

Dimmerable 0-100%, 4-button LED display with password protection.




Moving Head 575W

64598



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 575 W
Lamp: Osram 575 W
Color temperature: 5800 K
Control mode: Auto play, sound DMX
DMX channels: 12 channels
Size: 340 x 430 x 575 mm
Weight: 3.2 kg

Dimmer lamp 575 W included.



Moving Heads Lights 15

Moving Head RGB

64644



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
LED: 36 x 2 W 1 LED / 72 W
Control mode: Auto play, sound DMX
Size: 520 x 530 x 530 mm
Weight: 9 kg




Moving Head RGBW

84300



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 225 W
LED: 120 x 3 W 1 LED / 360 W
Control mode: Auto play, sound DMX, Master/slave
Size: 410 x 350 x 340 mm
Weight: 12 kg



Wash Moving Head Light RGBW

85222



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
LED: 4 x 10 W 4-in-1 Quad LED (RGBW) (111)
Control mode: DMX, 575, sound, auto play, master/slave

4 built-in shows. Full 200° 10-80 Degrees. LED display. Beam angle: 10 - 60 degrees. Stand. Arrow Set Up or Master-Slave. 540° scan 1.2°/s. 100°/s. 0-60°/s. 0-180°/s. 0-360°/s. 0-720°/s. 0-1080°/s. 0-1440°/s. 0-1800°/s. 0-2160°/s. 0-2520°/s. 0-2880°/s. 0-3240°/s. 0-3600°/s. 0-3960°/s. 0-4320°/s. 0-4680°/s. 0-5040°/s. 0-5400°/s. 0-5760°/s. 0-6120°/s. 0-6480°/s. 0-6840°/s. 0-7200°/s. 0-7560°/s. 0-7920°/s. 0-8280°/s. 0-8640°/s. 0-9000°/s. 0-9360°/s. 0-9720°/s. 0-10080°/s. 0-10440°/s. 0-10800°/s. 0-11160°/s. 0-11520°/s. 0-11880°/s. 0-12240°/s. 0-12600°/s. 0-12960°/s. 0-13320°/s. 0-13680°/s. 0-14040°/s. 0-14400°/s. 0-14760°/s. 0-15120°/s. 0-15480°/s. 0-15840°/s. 0-16200°/s. 0-16560°/s. 0-16920°/s. 0-17280°/s. 0-17640°/s. 0-18000°/s. 0-18360°/s. 0-18720°/s. 0-19080°/s. 0-19440°/s. 0-19800°/s. 0-20160°/s. 0-20520°/s. 0-20880°/s. 0-21240°/s. 0-21600°/s. 0-21960°/s. 0-22320°/s. 0-22680°/s. 0-23040°/s. 0-23400°/s. 0-23760°/s. 0-24120°/s. 0-24480°/s. 0-24840°/s. 0-25200°/s. 0-25560°/s. 0-25920°/s. 0-26280°/s. 0-26640°/s. 0-27000°/s. 0-27360°/s. 0-27720°/s. 0-28080°/s. 0-28440°/s. 0-28800°/s. 0-29160°/s. 0-29520°/s. 0-29880°/s. 0-30240°/s. 0-30600°/s. 0-30960°/s. 0-31320°/s. 0-31680°/s. 0-32040°/s. 0-32400°/s. 0-32760°/s. 0-33120°/s. 0-33480°/s. 0-33840°/s. 0-34200°/s. 0-34560°/s. 0-34920°/s. 0-35280°/s. 0-35640°/s. 0-36000°/s. 0-36360°/s. 0-36720°/s. 0-37080°/s. 0-37440°/s. 0-37800°/s. 0-38160°/s. 0-38520°/s. 0-38880°/s. 0-39240°/s. 0-39600°/s. 0-40000°/s. 0-40400°/s. 0-40800°/s. 0-41200°/s. 0-41600°/s. 0-42000°/s. 0-42400°/s. 0-42800°/s. 0-43200°/s. 0-43600°/s. 0-44000°/s. 0-44400°/s. 0-44800°/s. 0-45200°/s. 0-45600°/s. 0-46000°/s. 0-46400°/s. 0-46800°/s. 0-47200°/s. 0-47600°/s. 0-48000°/s. 0-48400°/s. 0-48800°/s. 0-49200°/s. 0-49600°/s. 0-50000°/s. 0-50400°/s. 0-50800°/s. 0-51200°/s. 0-51600°/s. 0-52000°/s. 0-52400°/s. 0-52800°/s. 0-53200°/s. 0-53600°/s. 0-54000°/s. 0-54400°/s. 0-54800°/s. 0-55200°/s. 0-55600°/s. 0-56000°/s. 0-56400°/s. 0-56800°/s. 0-57200°/s. 0-57600°/s. 0-58000°/s. 0-58400°/s. 0-58800°/s. 0-59200°/s. 0-59600°/s. 0-60000°/s. 0-60400°/s. 0-60800°/s. 0-61200°/s. 0-61600°/s. 0-62000°/s. 0-62400°/s. 0-62800°/s. 0-63200°/s. 0-63600°/s. 0-64000°/s. 0-64400°/s. 0-64800°/s. 0-65200°/s. 0-65600°/s. 0-66000°/s. 0-66400°/s. 0-66800°/s. 0-67200°/s. 0-67600°/s. 0-68000°/s. 0-68400°/s. 0-68800°/s. 0-69200°/s. 0-69600°/s. 0-70000°/s. 0-70400°/s. 0-70800°/s. 0-71200°/s. 0-71600°/s. 0-72000°/s. 0-72400°/s. 0-72800°/s. 0-73200°/s. 0-73600°/s. 0-74000°/s. 0-74400°/s. 0-74800°/s. 0-75200°/s. 0-75600°/s. 0-76000°/s. 0-76400°/s. 0-76800°/s. 0-77200°/s. 0-77600°/s. 0-78000°/s. 0-78400°/s. 0-78800°/s. 0-79200°/s. 0-79600°/s. 0-80000°/s. 0-80400°/s. 0-80800°/s. 0-81200°/s. 0-81600°/s. 0-82000°/s. 0-82400°/s. 0-82800°/s. 0-83200°/s. 0-83600°/s. 0-84000°/s. 0-84400°/s. 0-84800°/s. 0-85200°/s. 0-85600°/s. 0-86000°/s. 0-86400°/s. 0-86800°/s. 0-87200°/s. 0-87600°/s. 0-88000°/s. 0-88400°/s. 0-88800°/s. 0-89200°/s. 0-89600°/s. 0-90000°/s. 0-90400°/s. 0-90800°/s. 0-91200°/s. 0-91600°/s. 0-92000°/s. 0-92400°/s. 0-92800°/s. 0-93200°/s. 0-93600°/s. 0-94000°/s. 0-94400°/s. 0-94800°/s. 0-95200°/s. 0-95600°/s. 0-96000°/s. 0-96400°/s. 0-96800°/s. 0-97200°/s. 0-97600°/s. 0-98000°/s. 0-98400°/s. 0-98800°/s. 0-99200°/s. 0-99600°/s. 0-100000°/s. 0-100400°/s. 0-100800°/s. 0-101200°/s. 0-101600°/s. 0-102000°/s. 0-102400°/s. 0-102800°/s. 0-103200°/s. 0-103600°/s. 0-104000°/s. 0-104400°/s. 0-104800°/s. 0-105200°/s. 0-105600°/s. 0-106000°/s. 0-106400°/s. 0-106800°/s. 0-107200°/s. 0-107600°/s. 0-108000°/s. 0-108400°/s. 0-108800°/s. 0-109200°/s. 0-109600°/s. 0-110000°/s. 0-110400°/s. 0-110800°/s. 0-111200°/s. 0-111600°/s. 0-112000°/s. 0-112400°/s. 0-112800°/s. 0-113200°/s. 0-113600°/s. 0-114000°/s. 0-114400°/s. 0-114800°/s. 0-115200°/s. 0-115600°/s. 0-116000°/s. 0-116400°/s. 0-116800°/s. 0-117200°/s. 0-117600°/s. 0-118000°/s. 0-118400°/s. 0-118800°/s. 0-119200°/s. 0-119600°/s. 0-120000°/s. 0-120400°/s. 0-120800°/s. 0-121200°/s. 0-121600°/s. 0-122000°/s. 0-122400°/s. 0-122800°/s. 0-123200°/s. 0-123600°/s. 0-124000°/s. 0-124400°/s. 0-124800°/s. 0-125200°/s. 0-125600°/s. 0-126000°/s. 0-126400°/s. 0-126800°/s. 0-127200°/s. 0-127600°/s. 0-128000°/s. 0-128400°/s. 0-128800°/s. 0-129200°/s. 0-129600°/s. 0-130000°/s. 0-130400°/s. 0-130800°/s. 0-131200°/s. 0-131600°/s. 0-132000°/s. 0-132400°/s. 0-132800°/s. 0-133200°/s. 0-133600°/s. 0-134000°/s. 0-134400°/s. 0-134800°/s. 0-135200°/s. 0-135600°/s. 0-136000°/s. 0-136400°/s. 0-136800°/s. 0-137200°/s. 0-137600°/s. 0-138000°/s. 0-138400°/s. 0-138800°/s. 0-139200°/s. 0-139600°/s. 0-140000°/s. 0-140400°/s. 0-140800°/s. 0-141200°/s. 0-141600°/s. 0-142000°/s. 0-142400°/s. 0-142800°/s. 0-143200°/s. 0-143600°/s. 0-144000°/s. 0-144400°/s. 0-144800°/s. 0-145200°/s. 0-145600°/s. 0-146000°/s. 0-146400°/s. 0-146800°/s. 0-147200°/s. 0-147600°/s. 0-148000°/s. 0-148400°/s. 0-148800°/s. 0-149200°/s. 0-149600°/s. 0-150000°/s. 0-150400°/s. 0-150800°/s. 0-151200°/s. 0-151600°/s. 0-152000°/s. 0-152400°/s. 0-152800°/s. 0-153200°/s. 0-153600°/s. 0-154000°/s. 0-154400°/s. 0-154800°/s. 0-155200°/s. 0-155600°/s. 0-156000°/s. 0-156400°/s. 0-156800°/s. 0-157200°/s. 0-157600°/s. 0-158000°/s. 0-158400°/s. 0-158800°/s. 0-159200°/s. 0-159600°/s. 0-160000°/s. 0-160400°/s. 0-160800°/s. 0-161200°/s. 0-161600°/s. 0-162000°/s. 0-162400°/s. 0-162800°/s. 0-163200°/s. 0-163600°/s. 0-164000°/s. 0-164400°/s. 0-164800°/s. 0-165200°/s. 0-165600°/s. 0-166000°/s. 0-166400°/s. 0-166800°/s. 0-167200°/s. 0-167600°/s. 0-168000°/s. 0-168400°/s. 0-168800°/s. 0-169200°/s. 0-169600°/s. 0-170000°/s. 0-170400°/s. 0-170800°/s. 0-171200°/s. 0-171600°/s. 0-172000°/s. 0-172400°/s. 0-172800°/s. 0-173200°/s. 0-173600°/s. 0-174000°/s. 0-174400°/s. 0-174800°/s. 0-175200°/s. 0-175600°/s. 0-176000°/s. 0-176400°/s. 0-176800°/s. 0-177200°/s. 0-177600°/s. 0-178000°/s. 0-178400°/s. 0-178800°/s. 0-179200°/s. 0-179600°/s. 0-180000°/s. 0-180400°/s. 0-180800°/s. 0-181200°/s. 0-181600°/s. 0-182000°/s. 0-182400°/s. 0-182800°/s. 0-183200°/s. 0-183600°/s. 0-184000°/s. 0-184400°/s. 0-184800°/s. 0-185200°/s. 0-185600°/s. 0-186000°/s. 0-186400°/s. 0-186800°/s. 0-187200°/s. 0-187600°/s. 0-188000°/s. 0-188400°/s. 0-188800°/s. 0-189200°/s. 0-189600°/s. 0-190000°/s. 0-190400°/s. 0-190800°/s. 0-191200°/s. 0-191600°/s. 0-192000°/s. 0-192400°/s. 0-192800°/s. 0-193200°/s. 0-193600°/s. 0-194000°/s. 0-194400°/s. 0-194800°/s. 0-195200°/s. 0-195600°/s. 0-196000°/s. 0-196400°/s. 0-196800°/s. 0-197200°/s. 0-197600°/s. 0-198000°/s. 0-198400°/s. 0-198800°/s. 0-199200°/s. 0-199600°/s. 0-200000°/s. 0-200400°/s. 0-200800°/s. 0-201200°/s. 0-201600°/s. 0-202000°/s. 0-202400°/s. 0-202800°/s. 0-203200°/s. 0-203600°/s. 0-204000°/s. 0-204400°/s. 0-204800°/s. 0-205200°/s. 0-205600°/s. 0-206000°/s. 0-206400°/s. 0-206800°/s. 0-207200°/s. 0-207600°/s. 0-208000°/s. 0-208400°/s. 0-208800°/s. 0-209200°/s. 0-209600°/s. 0-210000°/s. 0-210400°/s. 0-210800°/s. 0-211200°/s. 0-211600°/s. 0-212000°/s. 0-212400°/s. 0-212800°/s. 0-213200°/s. 0-213600°/s. 0-214000°/s. 0-214400°/s. 0-214800°/s. 0-215200°/s. 0-215600°/s. 0-216000°/s. 0-216400°/s. 0-216800°/s. 0-217200°/s. 0-217600°/s. 0-218000°/s. 0-218400°/s. 0-218800°/s. 0-219200°/s. 0-219600°/s. 0-220000°/s. 0-220400°/s. 0-220800°/s. 0-221200°/s. 0-221600°/s. 0-222000°/s. 0-222400°/s. 0-222800°/s. 0-223200°/s. 0-223600°/s. 0-224000°/s. 0-224400°/s. 0-224800°/s. 0-225200°/s. 0-225600°/s. 0-226000°/s. 0-226400°/s. 0-226800°/s. 0-227200°/s. 0-227600°/s. 0-228000°/s. 0-228400°/s. 0-228800°/s. 0-229200°/s. 0-229600°/s. 0-230000°/s. 0-230400°/s. 0-230800°/s. 0-231200°/s. 0-231600°/s. 0-232000°/s. 0-232400°/s. 0-232800°/s. 0-233200°/s. 0-233600°/s. 0-234000°/s. 0-234400°/s. 0-234800°/s. 0-235200°/s. 0-235600°/s. 0-236000°/s. 0-236400°/s. 0-236800°/s. 0-237200°/s. 0-237600°/s. 0-238000°/s. 0-238400°/s. 0-238800°/s. 0-239200°/s. 0-239600°/s. 0-240000°/s. 0-240400°/s. 0-240800°/s. 0-241200°/s. 0-241600°/s. 0-242000°/s. 0-242400°/s. 0-242800°/s. 0-243200°/s. 0-243600°/s. 0-244000°/s. 0-244400°/s. 0-244800°/s. 0-245200°/s. 0-245600°/s. 0-246000°/s. 0-246400°/s. 0-246800°/s. 0-247200°/s. 0-247600°/s. 0-248000°/s. 0-248400°/s. 0-248800°/s. 0-249200°/s. 0-249600°/s. 0-250000°/s. 0-250400°/s. 0-250800°/s. 0-251200°/s. 0-251600°/s. 0-252000°/s. 0-252400°/s. 0-252800°/s. 0-253200°/s. 0-253600°/s. 0-254000°/s. 0-254400°/s. 0-254800°/s. 0-255200°/s. 0-255600°/s. 0-256000°/s. 0-256400°/s. 0-256800°/s. 0-257200°/s. 0-257600°/s. 0-258000°/s. 0-258400°/s. 0-258800°/s. 0-259200°/s. 0-259600°/s. 0-260000°/s. 0-260400°/s. 0-260800°/s. 0-261200°/s. 0-261600°/s. 0-262000°/s. 0-262400°/s. 0-262800°/s. 0-263200°/s. 0-263600°/s. 0-264000°/s. 0-264400°/s. 0-264800°/s. 0-265200°/s. 0-265600°/s. 0-266000°/s. 0-266400°/s. 0-266800°/s. 0-267200°/s. 0-267600°/s. 0-268000°/s. 0-268400°/s. 0-268800°/s. 0-269200°/s. 0-269600°/s. 0-270000°/s. 0-270400°/s. 0-270800°/s. 0-271200°/s. 0-271600°/s. 0-272000°/s. 0-272400°/s. 0-272800°/s. 0-273200°/s. 0-273600°/s. 0-274000°/s. 0-274400°/s. 0-274800°/s. 0-275200°/s. 0-275600°/s. 0-276000°/s. 0-27640

Open Air Spotlight 2000 W

64395

Voltage	AC 220 - 240 V
Frequency	50 - 60 Hz
Power	2000 W
Weight	85 kg
Range	> 5 km
Part	120°
Tilt	45°
Waterproof	IP23 protection grade
Color temperature	6000K
Power plug	32A 3 pin
Outdoor use	Built-in



Open Air Spotlight 4000 W

64481

Voltage	AC 220 - 240 V
Frequency	50 - 60 Hz
Power	4000 W
Weight	172 kg
Range	> 10 km
Part	120°
Tilt	45°
Waterproof	IP23 protection grade
Color temperature	6000K
Power plug	32A 3 pin
Outdoor use	Built-in



Open Air Spotlight 7000 W

84036

Voltage	AC 220 - 240 V
Frequency	50 - 60 Hz
Power	7000 W
Weight	75 kg
Range	> 10 km
Part	120°
Tilt	45°
Waterproof	IP23 protection grade
Color temperature	6000K
Power plug	32A 3 pin
Outdoor use	Built-in



3-Head Open Air Spotlight

64567



Voltage	AC 220 - 240 V
Frequency	50 - 60 Hz
Power	3 x 2000 W
Size	550 x 700 x 1050 mm
Weight	80 kg
Range	> 5 km
Part	120°
Tilt	45°
Waterproof	IP23 protection grade
Color temperature	6000K
Power plug	3 x 32A 3 pin
Outdoor use	Built-in



LED Display Curtain 200 x 300 cm, RGB

84349



Voltage	AC 100 - 240 V
Frequency	50 - 60 Hz
Power	3 A power supply
LED	18 A, 18000 LEDs, 180° view
Control mode	48 on, Auto play, sound, DMX, PC
Size	200 x 300 cm
Weight	7 kg



Scrolling Net

84285



Voltage	AC 100 - 240 V
Frequency	50 - 60 Hz
Power	3 A power supply
LED	18 A, 18000 LEDs, 180° view
Control mode	48 on, Auto play, sound, DMX, PC
Size	200 x 300 cm
Weight	7 kg



LED Curtain 400 x 600 cm, BW

84226



Voltage	AC 100 - 240 V
Frequency	50 - 60 Hz
Power	3 A power supply
LED	18 A, 18000 LEDs, 180° view
Control mode	48 on, Auto play, sound, DMX, PC
Size	400 x 600 cm
Weight	20 kg



LED Curtain 400 x 600 cm, RGB

84026



Voltage	AC 100 - 240 V
Frequency	50 - 60 Hz
Power	3 A power supply
LED	18 A, 18000 LEDs, 180° view
Control mode	48 on, Auto play, sound, DMX, PC
Size	400 x 600 cm
Weight	20 kg



LED Curtain 100 x 200 cm, RGB

84350



Voltage	AC 100 - 240 V
Frequency	50 - 60 Hz
Power	3 A power supply
LED	18 A, 18000 LEDs, 180° view
Control mode	48 on, Auto play, sound, DMX, PC
Size	100 x 200 cm
Weight	7 kg



LED Curtain 100 x 200 cm, W

84351



Voltage	AC 100 - 240 V
Frequency	50 - 60 Hz
Power	3 A power supply
LED	18 A, 18000 LEDs, 180° view
Control mode	48 on, Auto play, sound, DMX, PC
Size	100 x 200 cm
Weight	7 kg



LED Curtain 200 x 300 cm, RGB

84025



Voltage	AC 100 - 240 V
Frequency	50 - 60 Hz
Power	3 A power supply
LED	18 A, 18000 LEDs, 180° view
Control mode	48 on, Auto play, sound, DMX, PC
Size	200 x 300 cm
Weight	7 kg



LED Curtain 200 x 300 cm

64591



Voltage	AC 100 - 240 V
Frequency	50 - 60 Hz
Power	3 A power supply
LED	18 A, 18000 LEDs, 180° view
Control mode	48 on, Auto play, sound, DMX, PC
Size	200 x 300 cm
Weight	7 kg



Scrolling Sign

64642

Voltage	AC 100 - 240 V
Frequency	50 - 60 Hz
Power	3 A power supply
LED	18 A, 18000 LEDs, 180° view
Control mode	48 on, Auto play, sound, DMX, PC
Size	200 x 28.5 x 5 cm

Use indoor.
Use included software to program content and scrolling effects, and load it into the sign's internal memory.



Scrolling Sign RGB

84303

Voltage	AC 100 - 240 V
Frequency	50 - 60 Hz
Power	3 A power supply
LED	18 A, 18000 LEDs, 180° view
Control mode	48 on, Auto play, sound, DMX, PC
Size	167 x 40 cm

Use indoor.
Use included software to program content and scrolling effects, and load it into the sign's internal memory.



Scrolling Sign RGB, Outdoor

84658



Voltage	AC 100 - 240 V
Frequency	50 - 60 Hz
Power	3 A power supply
LED	18 A, 18000 LEDs, 180° view
Control mode	48 on, Auto play, sound, DMX, PC
Size	167 x 40 cm

Use outdoor.
Use included software to program content and scrolling effects, and load it into the sign's internal memory.



LED Pixel Dance Floor

84983



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 250 W
LED: 15000 LEDs
Control mode: Auto play, DMX, DMX
Size: 1 panel: 60 x 60 cm
Weight: 1 panel: 20 kg

4 panels in flightcase 2 lightstands per set
Display image effects, fast color changes, color gradients
Flightcase included



Dance Stage

64604



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 250 W
LED: 15000 LEDs
Control mode: Auto play, DMX, DMX
Size: 60 x 60 x 20 cm
Weight: 40 kg

Controller included
575 W discharge lamp included



Led Scanning Light

84374



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 10 W
LED: 10 W A-M-1 LED
Control mode: Auto play, sound, DMX
DMX: 5 channels
Size: 200 x 220 x 110 mm
Weight: 4 kg



6 Eyes Light

84219



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 24 W
LED: 1 x 9 W RGB
Control mode: Auto play, sound, DMX
DMX: 6 channels
Size: 330 x 180 x 170 mm
Weight: 3.4 kg

RGB color mixing, strobing, fading, fading
This light features LEDs with a long lifespan, low light loss effect, strong colors and high performance




3 Octopus Light

84222



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 25 W
LED: 1 x 3 W RGB LED
Control mode: Auto play, sound, DMX
DMX: 5 channels
Size: 270 x 220 x 210 mm
Weight: 5 kg



LED Effects Lights 23

Moonflower Light

84224



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 25 W
LED: 15000 LEDs
Control mode: Auto play, sound, DMX
DMX: 5 channels
Size: 320 x 180 x 170 mm
Weight: 3.4 kg

RGB single color and color mixing
DMX, sound, 5 channels
Strobe function
Adjustable speed




Double Moonflower Light

84223



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 50 W
LED: 30000 LEDs
Control mode: Auto play, sound, DMX
DMX: 10 channels
Size: 350 x 200 x 150 mm
Weight: 12 kg

RGB single color and color mixing



Dance Floors Lights 21

7 Heads Light

84220



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 20 W
LED: 15000 LEDs
Control mode: Auto play, sound, DMX
DMX: 5 channels
Size: 320 x 240 x 200 mm
Weight: 6.5 kg

RGB single color and color mixing
Front lens that creates various effects



LED Fairy Light

84221



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 40 W
LED: 15000 LEDs
Control mode: Auto play, sound, DMX
DMX: 6 channels
Size: 320 x 240 x 150 mm
Weight: 6.5 kg

RGB single color and color mixing
Front lens that creates various effects



LED Effect Light

84218



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 50 W
LED: 30000 LEDs
Control mode: Auto play, sound, DMX
DMX: 10 channels
Size: 320 x 240 x 220 mm
Weight: 8.4 kg

RGB single color and color mixing
Clear pattern with various effects



LED Effect Light

84225



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 50 W
LED: 30000 LEDs
Control mode: Auto play, sound, DMX
DMX: 10 channels
Size: 320 x 240 x 220 mm
Weight: 8.4 kg

RGB single color and color mixing
Pattern lens that creates various effects



24 Lights LED Effects

22 Lights LED Effects



LASER FOCUS

Stage-Effects provides cutting-edge technology and equipment for mind-blowing laser shows that redefine expectations.

Lasers 25

Effect Tunnel Laser RG
84147


Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Laser power: R = 100 mW, G = 30 mW
Laser diode: R 650 nm, G 532 nm
Control mode: Auto play sound DMX
Size: 212 x 145 x 115 mm
Weight: 2.4 kg

Star shows, glowing patterns, bubble beam tunnel effect


Twinkling Ceiling Laser RG
84345


Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Laser power: R = 100 mW, G = 30 mW
Laser diode: R 650 nm, G 532 nm
Control mode: Auto play sound DMX
Size: 230 x 234 x 340 mm
Weight: 1.4 kg

Ceiling type laser covers all areas with a wide angle dispersion, powerful effects, 2048m modulation, hyperspectral effect, five classic patterns like flowers, falling and wind fire


Mini Hyacinth Laser RG
84239


Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Laser power: R = 100 mW, G = 30 mW
Laser diode: R 650 nm, G 532 nm
Control mode: Auto play sound DMX
Size: 150 x 110 x 82 mm
Weight: 1 kg

Blue LED light background, adjustable brightness, light can emit through heavy smoke or fog, simple and beautiful patterns like a starry sky


Twinkling Laser RCB
84233


Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Laser power: R = 200 mW, G = 100 mW
Laser diode: R 650 nm, G 532 nm
Control mode: Auto play sound DMX
Size: 290 x 240 x 150 mm
Weight: 3.5 kg

A playful RGB twinkling effect


Mini Twinkling Laser RG
84122


Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Laser power: R = 60 mW, G = 20 mW
Laser diode: R 650 nm, G 532 nm
Control mode: Auto play sound DMX
Size: 117 x 91 x 52 mm
Weight: 0.4 kg

Strobe rotation, adjustable speed, 8000 dots, patterns can move in the beam, surface effect


Mini Twinkling Laser RB
84343


Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Laser power: R = 60 mW, G = 20 mW
Laser diode: R 650 nm, G 532 nm
Control mode: Auto play sound DMX
Size: 117 x 91 x 52 mm
Weight: 0.4 kg

Strobe rotation, adjustable speed, 8000 dots, patterns can move in the beam, surface effect


Twinkling Laser RG
84229


Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Laser power: R = 100 mW, G = 30 mW
Laser diode: R 650 nm, G 532 nm
Control mode: Auto play sound DMX
Size: 150 x 122 x 61 mm
Weight: 1 kg

A glowing star shows. Can display without patterns and bubble beams. Control the speed of the glowing, rotating and color-changing actions for the forming of the beam


Twinkling Laser RG
84234



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Laser power: R = 100 mW, G = 30 mW
Laser diode: R 650 nm, G 532 nm
Control mode: Auto play sound DMX
Size: 150 x 110 x 65 mm
Weight: 1 kg

Can display special effects such as 50Hz beam, rotation, strobe, color changes. Display a starry sky pattern and flower-like that move in the beam


Twinkling Laser RG
64491


Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Laser power: R = 100 mW, G = 30 mW
Laser diode: R 650 nm, G 532 nm
Control mode: Auto play sound DMX
Size: 160 x 210 x 210 mm
Weight: 2.7 kg

A lovely space and wall laser effect. You can not only control the effect, but also the position, movement and speed. Displaying you need to make an impressive light show


Moving Head Beam Laser, Green
85157


Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Laser power: G = 100 mW
Laser diode: G 532 nm
Control mode: Auto play sound DMX
Size: 100 x 100 x 150 mm
Weight: 0.7 kg

Moving head laser with a high precision, also motor


Green laser
64455


Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Laser power: G = 60 mW
Laser diode: G 532 nm
Control mode: Auto play sound DMX
Size: 230 x 105 x 65 mm
Weight: 0.4 kg

Mini 10 units can be connected in series, to show synchronous effects. Can display various light beams and patterns. Easy to operate. Can show laser patterns specified by international laser display association such as diffusing laser network, slowly rotating color fan, line and space tunnel and fairy flowers, etc.


Green Ceiling Laser
84291


Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Laser power: G = 100 mW
Laser diode: G 532 nm
Control mode: Auto play sound DMX
Size: 290 x 240 x 150 mm
Weight: 3.5 kg

Ceiling type laser. Using a specific wide angle and the laser covers all areas with animation and powerful effects



Pro Green Titan Laser 1 W

64594



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Laser power: $E = 1$ W
Laser diode: $R = 650$ nm
Control mode: Auto play sound, DMX
DMX: 13 channels
Scanner speed: 30 steps
Size: 405 x 200 x 110 mm
Weight: 1.1 kg
Toys user not. Right case
Single output: Zoom in / out, horizontal / vertical rotation, wave, dot, line...



Single Color Red Laser

64456



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Laser power: $E = 1$ W
Laser diode: $R = 650$ nm
Control mode: Auto play sound, DMX
DMX: 13 channels
Scanner speed: 30 steps
Size: 405 x 200 x 110 mm
Weight: 1.1 kg
Max. 12 units can be connected in series to create synchronous effects. Can display various light beams and patterns. Easy to operate. Can display laser patterns specified by international laser display association such as diffusing laser, rainbow, slowly rotating color fan, time and space tunnel and fairy flowers, etc.



Mint/White Color Laser

84038



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Laser power: $E = 20$ mW
Laser diode: $R = 650$ nm
Control mode: Auto play sound, DMX
DMX: 13 channels
Scanner speed: 30 steps
Size: 405 x 200 x 110 mm
Weight: 1.1 kg
Single output: Zoom in / out, horizontal / vertical rotation, wave, dot, line...



Single Color Pink Laser

84000



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Laser power: $E = 1$ W
Laser diode: $R = 650$ nm
Control mode: Auto play sound, DMX
DMX: 13 channels
Scanner speed: 30 steps
Size: 405 x 200 x 110 mm
Weight: 1.1 kg
Can display laser patterns specified by international laser display association such as diffusing laser, rainbow, slowly rotating color fan, time and space tunnel and fairy flowers, etc.




3 Head Laser RGB

84372



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Laser power: $E = 300$ mW
Laser diode: $R = 650$ nm, $G = 532$ nm, $B = 445$ nm
Control mode: Auto play sound, DMX
DMX: 13 channels
Scanner speed: 30 steps
Size: 405 x 200 x 110 mm
Weight: 1.1 kg
Appearing 360° rotating effects and beam master laser.



3 Head Laser RGB

85155



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Laser power: $E = 120$ mW
Laser diode: $R = 650$ nm, $G = 532$ nm, $B = 445$ nm
Control mode: Auto play sound, DMX
DMX: 13 channels
Scanner speed: 30 steps
Size: 405 x 200 x 110 mm
Weight: 1.1 kg
Appearing 360° rotating effects.



Effect Laser 400 mW RGB 5-in-1

84686



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Laser power: $E = 400$ mW
Laser diode: $R = 650$ nm, $G = 532$ nm, $B = 445$ nm
Control mode: Auto play sound, DMX
DMX: 13 channels
Scanner speed: 30 steps
Size: 405 x 200 x 110 mm
Weight: 1.1 kg
Powerful laser with 5 built-in effects, rotating 360°.



400 mW SD-Card Laser RGB

85154



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Laser power: $E = 400$ mW
Laser diode: $R = 650$ nm, $G = 532$ nm, $B = 445$ nm
Control mode: Auto play sound, DMX
DMX: 13 channels
Scanner speed: 30 steps
Size: 405 x 200 x 110 mm
Weight: 1.1 kg
Maximum built-in patterns and designs, effects also added with a search button. Load the next in animation from the SD card or from your own computer into the laser. User software included.



Polar Light Laser

84290



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Laser power: $E = 100$ mW
Laser diode: $R = 650$ nm, $G = 532$ nm
Control mode: Auto play sound, DMX
DMX: 13 channels
Scanner speed: 30 steps
Size: 405 x 200 x 110 mm
Weight: 1.1 kg
Nonlinear light effect with a blue background. For a mysterious atmosphere in a romantic blue light.



Pure Orange Color Laser RGB

84155



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Laser power: $E = 400$ mW
Laser diode: $R = 650$ nm, $G = 532$ nm
Control mode: Auto play sound, DMX
DMX: 13 channels
Scanner speed: 30 steps
Size: 405 x 200 x 110 mm
Weight: 1.1 kg
Single output: Zoom in / out, horizontal / vertical rotation, wave, dot, line...



Color Laser BG

84232



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Laser power: $E = 100$ mW
Laser diode: $R = 650$ nm, $G = 532$ nm
Control mode: Auto play sound, DMX
DMX: 13 channels
Scanner speed: 30 steps
Size: 405 x 200 x 110 mm
Weight: 1.1 kg
Displays double blue double green beams. Can display various time beams and patterns. Easy to operate. Can display laser patterns specified by the international laser display association such as diffusing laser, rainbow, slowly rotating color fan, time and space tunnel and fairy flowers, etc.



Color Laser RG

64462



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Laser power: $E = 200$ mW
Laser diode: $R = 650$ nm, $G = 532$ nm
Control mode: Auto play sound, DMX
DMX: 13 channels
Scanner speed: 30 steps
Size: 405 x 200 x 110 mm
Weight: 1.1 kg
Displays double red double green beams. Can display various light beams and patterns. Easy to operate. Can display laser patterns specified by the international laser display association such as diffusing laser, rainbow, slowly rotating color fan, time and space tunnel and fairy flowers, etc.



Fat Beam Laser 800 mW RGB

85156



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Laser power: $E = 200$ mW
Laser diode: $R = 650$ nm, $G = 532$ nm, $B = 445$ nm
Control mode: Auto play sound, DMX
DMX: 13 channels
Scanner speed: 30 steps
Size: 405 x 200 x 110 mm
Weight: 1.1 kg
Max. 120 modes (100000) 120 patterns, 120 patterns, 120 patterns.



Keyboard Laser 500 mW RGB

84663



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Laser power: $E = 220$ mW
Laser diode: $R = 650$ nm, $G = 532$ nm, $B = 445$ nm
Control mode: Auto play sound, DMX
DMX: 13 channels
Scanner speed: 30 steps
Size: 405 x 200 x 110 mm
Weight: 1.1 kg
Powerful RGB with amazing effects. Displayed included for working with the projecting effects.



Laser Cube 500 mW RGB

84685



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Laser power: $E = 250$ mW
Laser diode: $R = 650$ nm, $G = 532$ nm, $B = 445$ nm
Control mode: Auto play sound, DMX
DMX: 13 channels
Scanner speed: 30 steps
Size: 405 x 200 x 110 mm
Weight: 1.1 kg
Powerful laser with 3 built-in effects, rotating 360°.



Effect Laser 1W RGB 8-in-1

84662



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Laser power: $E = 100$ mW
Laser diode: $R = 650$ nm, $G = 532$ nm, $B = 445$ nm
Control mode: Auto play sound, DMX
DMX: 13 channels
Scanner speed: 30 steps
Size: 405 x 200 x 110 mm
Weight: 1.1 kg
Powerful laser with 3 built-in effects, rotating 360°.





PRO RGB Laser Network + Flightcase

64597


Model 1	Model 2+3	Model 4+5
Voltage.....AC 100 - 240 V	Voltage.....AC 100 - 240 V	Voltage.....AC 100 - 240 V
Frequency.....50 - 60 Hz	Frequency.....50 - 60 Hz	Frequency.....50 - 60 Hz
Laser power.....R = 300 mW G = 30 mW	Laser power.....R = 150 mW	Laser power.....R = 300 mW G = 30 mW
Beam diameter.....R = 100 mm	Laser diode.....G 932 nm	Laser diode.....R 635 nm G 932 nm
User display.....R 635 nm G 932 nm	Control mode.....Autoplay, sound, DMX, USB	Control mode.....Autoplay, sound, DMX, USB
Control mode.....Autoplay, sound, DMX, USB	DMX.....13 channels	DMX.....13 channels
DMX.....12 channels	Scanner speed.....30 steps	Scanner speed.....30 steps
Scanner speed.....10 steps	Size.....348 x 240 x 260 mm	Size.....327 x 230 x 263 mm
Size.....324 x 305 x 320 mm	Weight.....8.5 kg	Weight.....6.6 kg
Weight.....17.5 kg		



Mini ILDA Laser software

64549

Easy to use. Make your own illustrations and effects.
Create your own laser show animations and moving test.



LD 2000 Laser Software

Professional laser software.
With Opt 2000 hardware, LD 2000 software.
Beyond software.

Ask about our software packages and upgrades.



LD 2000 Laptop Laser Software

Professional laser software.
LD 2000 software.

Ask about our software packages and upgrades.



BEYOND Upgrade



Pangolin Quickshow Laser Software

84338



Use Quickshow laser software. Create your own laser show using sets of illustrations, animations, and effects. In combination your scene completely using your own illustrations and test.



RGB Lasers 37

PRO Laser ILDA cable



85232.....ILDA Cable 1 m
84394.....ILDA Cable 5 m
84395.....ILDA Cable 10 m
84396.....ILDA Cable 20 m
Cable.....25 cores
Length.....20 m
Specification.....ANSI 2424 100 V 1 80°
300V 24AWG CMA 18W

PRO Laser ILDA cable with splitter, 1 m 85233



Cable.....25 cores
Length.....1 m
Specification.....ANSI 2424 100 V 1 80°
300V 24AWG CMA 18W

CAT5 UTP Cable



85234.....CAT5 UTP 5 m
85235.....CAT5 UTP 10 m
85236.....CAT5 UTP 20 m

CAT5 UTP 31012 copper wire 24AWG
male connector BLACK color

UTP/ILDA adapter

85239



One set of 2 pins.
- female to UTP
- male to UTP

PRO Reflection Mirror

84346



Size.....150 x 115 x 150 mm
Weight.....3.5 kg

The reflecting mirror allows you to easily change the direction of the laser beam. No power required.

This effect is similar to adding smoke test laser.



PRO Reflecting Mirror Engine

84347



Voltage.....AC 100 - 240 V
Frequency.....50 - 60 Hz
Control mode.....DC 12V/5V/12V/15V/18V/24V/30V/36V/48V/60V/72V/84V/96V/108V/120V/132V/144V/156V/168V/180V/192V/204V/216V/228V/240V/252V/264V/276V/288V/300V/312V/324V/336V/348V/360V/372V/384V/396V/408V/420V/432V/444V/456V/468V/480V/492V/504V/516V/528V/540V/552V/564V/576V/588V/600V/612V/624V/636V/648V/660V/672V/684V/696V/708V/720V/732V/744V/756V/768V/780V/792V/804V/816V/828V/840V/852V/864V/876V/888V/900V/912V/924V/936V/948V/960V/972V/984V/996V/1000V
Size.....148 x 120 x 193 mm
Weight.....3 kg

Reflects laser beams by rotating the mirror. Creates a diffused laser pattern.



Software Lasers 38

DANCING THROUGH THE SNOW

Our specialized snow and foam machines deliver enough output turn every setting into a foamy, snowy wonder land in mere minutes.

38 Snow

36 Lasers Accessories

Foam & Snow Liquids

64485 Special liquid for foam machine 1 L



84377 Special liquid for snow machine 5 L



64390 Special liquid for snow machine 1 L



Snow Machine XL

64388



Voltage..... AC 100 - 240 V
Frequency..... 50 - 60 Hz
Power..... 1200 W
Range..... 100 m
Control mode..... Infra control
Size..... 515 x 385 x 212 mm
Weight..... 8.5 kg

Use with special snow liquid



Snow Machine

84283



Voltage..... AC 100 - 240 V
Frequency..... 50 - 60 Hz
Power..... 600 W
Range..... 50 m
Control mode..... Manual, remote
Size..... 315 x 190 x 140 mm
Weight..... 4.5 kg

Use with special snow liquid



Snow

Cloud machine

84182



Fuel..... Helium & Foam liquid
Working time..... 10 seconds
Size..... 600 x 600 x 620 mm
Weight..... 46 kg
Connect a helium tank and use special foam liquid
3 cartons included



Foam Party

64489



Voltage..... AC 100 - 240 V
Frequency..... 50 - 60 Hz
Power..... 200 W
Range..... 12 m / 7 sec
Size..... 1200 x 1700 x 500 mm
Weight..... 32.5 kg

Use with special foam liquid, incl. Rightcase



52 Snow



FOREVER BLOWING BUBBLES

Easy-to-use, flexible machines that deliver a wonderful, consistent bubblestream each and every time. Whether you need low output or high volume, you're in control.

Bubbles

Bubble Liquids

65093 Bubble liquid 15 L

65215 Bubble liquid 1 L

64391 Bubble liquid 5 L



Bubble Maker

64417



Voltage..... AC 100 - 240 V
Frequency..... 50 - 60 Hz
Power..... 22 W
Control mode..... Manual
Size..... 530 x 330 x 150 mm
Weight..... 3.2 kg

Use with special bubble liquid




Bubble Monster

84159



Voltage..... AC 100 - 240 V
Frequency..... 50 - 60 Hz
Power..... 40 W
Type..... 1 in, 2 in
Current..... 0.2 A @ 230 V
Control mode..... Manual
Size..... 300 x 170 x 100 mm
Weight..... 3 kg

Use with special bubble liquid



54 Bubbles

Bubble Monster XL

84158



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 300 W
Fuel: F24 250 V
Current: 5A @ 250 V
Control mode: Manual wire control
Size: 400 x 340 x 300 mm
Weight: 3.8 kg

Use with special bubble liquid.



Smoke / Bubble Machine 2-in-1

85166



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 300 W
Warm-up: 3 minutes
Output: 1000 CFM
Range: 2 - 3 m
Control mode: DMX, wireless remote
Size: 290 x 340 x 240 mm
Weight: 4 kg

This machine unites smoke with bubbles by automatically spraying smoke and bubbles.

Use with special bubble and fog liquid.



Smoke in Bubble Machine

84978



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 300 W
Warm-up: 3 minutes
Output: 1000 CFM
Range: 2 - 3 m
Control mode: DMX, wireless remote
Size: 290 x 340 x 240 mm
Weight: 4 kg

This machine unites smoke with bubbles by spray directly spraying smoke in bubbles.

Use with special bubble and fog liquid.



Flame Light Garland

84128



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 150 W
Length: 200 cm
Features: 10 bulbs



Flame Light Bulb

84982



Base: E14

Fire Liquid

64488

450 ml color fire liquid
Use to 45 photo with 1 bottle of gas.

- purple
- green
- red
- yellow
- blue

LED Fire Light

84289



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 150 W
Control mode: manual
Size: 2 x 620 mm
LED: 10 mm 52 x orange 4 x blue
Base: 60 x 31 x 41 mm
Cable length: 150 cm
Weight: 0.2 kg

Using LED technology, this machine lights up and properly a long chain to create a big and convincing fire effect that's 100% safe.



Fire Machine

64563



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 50 W
Range: 1.5 - 2 m
Control mode: DMX, manual
Size: 300 x 140 x 950 mm
Weight: 5 kg

This user-friendly fire machine features built-in CO protection, 10 stages of mushroom cloud flame.

Fuel with special fire liquid or gas.



Bubbles 45

TURN UP THE HEAT

The Stage-Effects Fire range contains everything from completely realistic fire light effects to professional fire machines, capable of firing up the crowd in the most demanding settings.

40 Fire

3 Head Fire Machine

84428



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 150 W
Range: 1.5 - 2 m
Control mode: DMX
Size: 300 x 260 x 570 mm
Weight: 2.5 kg

The easy to operate 3 head version of this fire machine enables it to spray mushroom cloud flames in three directions.

Fuel with special fire liquid or gas.



Fire Machine, 4 Colors

84284



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 150 W
Range: 1.5 - 2 m
Control mode: DMX
Size: 300 x 260 x 460 mm
Weight: 7.7 kg

This fire machine can hold 4 containers of oil, making multi color fire effects possible.

Spray each color separately or mix colors to create incredible color effects.

Use with special fire liquid or gas.



Big Fire Machine

84340



Voltage: AC 220 - 240 V
Frequency: 50 - 60 Hz
Power: 1000 W
Range: 8 m
Control mode: DMX
Size: 520 x 580 x 1000 mm
Weight: 35 kg

This outdoor fire machine can create a very powerful burst of flame.

Use with gasoline and NG machine incl. footcases. Outdoor use.



Fog Liquid

84376 High quality fog liquid 1 L
64392 High quality fog liquid 5 L
64553 High quality fog liquid 5 L

Perfume

84240



Perfume for smoke machines:
- Rose
- Lavender
- Green

DMX Fan

65007



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 300 W
Control mode: Manual, DMX
Rotation speed: 1800 rpm
Air volume: 4000 m³/hr
Size: 340 x 615 x 235 mm
Weight: 17 kg

Atomizer

64171



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 300 W
Range: 80-120 m
Control mode: Manual, DMX
Size: 340 x 420 x 340 mm
Weight: 10 kg

Atomizer with 3 color LED, battery powered in use for a steady effect.

Snail DMX Fan

84042



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 300 W
Control mode: Manual, DMX
Size: 340 x 420 x 340 mm
Weight: 10 kg

3 speeds to satisfy different requirements. The 100% fan and wheel make it very convenient to use. The fan is at the bottom and can easily adjust the angle and height of the wind output.

Smoke Fire 48

Foggers Smoke 51

LOST IN A HAZE

Set a scene of mystery and curiosity. Thick ground smoke, a subtle haze, engulfing fog. There's a Stage-Effects smoke machine for any occasion.

Fogger 400W

64387



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 400 W
Output: 5000 CFM / min
Control mode: Manual control
Fuel: Fog liquid 5 L
Size: 230 x 140 x 135 mm
Weight: 1.8 kg

Compact fogger for small parties. Size without fog liquid.

Smoke & Bubble Machine, 2-in-1

85166



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 500 W
Output: 5000 CFM / min
Control mode: Manual control
Fuel: Fog liquid 5 L
Size: 230 x 140 x 135 mm
Weight: 1.8 kg

This machine creates smoke with bubbles. It synchronously sprays smoke and bubbles.

Use with special fog and bubble liquid.

Smoke in Bubble Machine

84978



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 500 W
Output: 5000 CFM / min
Control mode: Manual control
Fuel: Fog liquid 5 L
Size: 230 x 140 x 135 mm
Weight: 1.8 kg

This machine creates smoke and bubbles. It synchronously sprays smoke and bubbles.

Use with special fog and bubble liquid.

Fogger 900W

64536



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 900 W
Output: 5000 CFM / min
Control mode: Manual control
Fuel: Fog liquid 5 L
Size: 230 x 140 x 135 mm
Weight: 1.8 kg

Fog machine with great effect. Use with special fog liquid.

LED Fog Machine 900W

84156



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 900 W
Output: 2000 CPT / min
Control mode: Wireless remote, DMX
Fuel: Fog liquid, 1 L
Size: 200 x 140 x 135 mm
Weight: 2.5 kg

Fog machine with 3 x 5W yellow LEDs which create a fire effect. Use with special fog liquid.



Torpedo Fogger 2000W

64486



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 2000 W
Output: 22000 CPT / min
Control mode: Wireless remote, DMX
Fuel: Fog liquid, 1 L
Size: 380 x 230 x 580 mm
Weight: 7.5 kg

Can be used horizontally and vertically. Use with special fog liquid.



Smoke Up 1200W

84304



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 1200 W
Output: 10000 CPT / min
Control mode: Wireless remote, DMX
Fuel: Fog liquid, 2 L
Size: 400 x 240 x 230 mm
Weight: 3 kg

Spring your fog in a vertical direction. Use with special fog liquid.



Fogger 3000W

64486



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 3000 W
Output: 25000 CPT / min
Control mode: Wireless remote, DMX
Fuel: Fog liquid, 1 L
Size: 720 x 350 x 260 mm
Weight: 11 kg

Designed for large-scale entertainment and performance. Capable of producing large quantities of smoke and covering a long distance. Use with special fog liquid.



Oil Based Hazer 500W

84281



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 500 W
Output: 1000 CPT / min
Control mode: DMX
Size: 310 x 270 x 260 mm
Weight: 8 kg

Professional hazer for the perfect haze effect for any event. Use with special oil based haze liquid. Foghouse included.



Water Based Hazer 5000W

84039



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 5000W-10000 W
Output: 50000 CPT / min
Control mode: Manual, Auto stop, DMX
Size: 700 x 580 x 580 mm
Weight: 40 kg

Very powerful hazer for in- and outdoor use. Use with special water based haze liquid. Foghouse included.



Foggers Smoke 55

Hazers Smoke 55

Hazer Liquid

84040 Hazer liquid 1 L, oil based
84282 Hazer liquid 5 L, water based



Fazer 1200W

64490



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 1200 W
Output: 20000 CPT / min
Control mode: DMX
Size: 400 x 170 x 230 mm
Weight: 1.2 kg

A stylish faze with powerful output for a great road effect. Use with special fog liquid.



Ground Smoke

64459



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 1200 W
Output: 80 m³
Control mode: Manual, wireless remote, DMX
Size: 760 x 450 x 460 mm
Weight: 25 kg

Cover your stage with a mysterious layer of ground smoke.



Dry Ice Groundsmoke 1500W

84976



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 1500 W
Output: 100 m³
Control mode: Manual
Size: 610 x 340 x 450 mm
Weight: 9 kg

Cover your stage with a mysterious layer of ground smoke.



Compact Hazer 600W

84432



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 600 W
Output: 10 minutes
Control mode: DMX
Tank capacity: 1 L
Fluid consumption: 5.5 L / min
Size: 350 x 200 x 250 mm
Weight: 8 kg

Use with special water based haze liquid.



Water Based Hazer 3000W

84280



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 3000 W
Output: 50000 CPT / min
Control mode: DMX
Size: 650 x 500 x 220 mm
Weight: 10.5 kg

Professional hazer with a true haze effect. Use with special water based haze liquid. Foghouse included.



56 Smoke Ground Smoke

56 Smoke HAZERS

Dry Ice Groundsmoke 3000W

64554



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 3000 W
Range: 500 m
Warm-up: 5 minutes
Output: 4000 CPT / min
Control mode: Manual
Size: 850 x 270 x 215 mm
Weight: 17 kg

Cover your stage with a mysterious layer of groundsmoke.



Water Low Fog 1000W

84037



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 1000 W
Range: 300 m
Warm-up: 5 minutes
Output: 4000 CPT / min
Control mode: Wireless remote, DMX
Size: 700 x 400 x 400 mm
Weight: 35 kg

Suitable for small stage shows. Just add clean water and use smoke! This is an easy-to-use, smart and powerful machine. Flightcase included.



Water Low Fog 2000W

85032



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 2000 W
Warm-up: 5 minutes
Range: 500 m
Output: 8000 CPT / min
Control mode: Wireless remote, DMX

Just add clean water and use smoke! This is an easy-to-use smart and powerful machine. Flightcase included.



Low Fog Machine 5000W

84433



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 5000 W
Warm-up: 15 minutes
Range: 1000 m
Output: 16000 CPT / min
Control mode: Manual, DMX
Size: 900 x 600 x 420 mm
Weight: 60 kg

Use with fog liquid. No need for dry ice to create a ground smoke effect. Flightcase included.



Ground Smoke Smoke 37

Mini CO₂ Jet

84977



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 150 W
Range: 5 m
Fuel: CO₂
Air Pressure: 80 kg
Control mode: DMX
Size: 240 x 120 x 340 mm
Weight: 11 kg

Powerful jet of CO₂ gas. Perfect for creating an even more jaw-dropping effect. Easy to control multi-jet. Perfect stage lighting with the option to add liquid. Economical and practical.

Secured 6 m hose included.



Moving CO₂ Jet

84401



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 150 W
Range: 5 m
Fuel: CO₂
Air Pressure: 80 kg
Control mode: DMX
Size: 300 x 230 x 160 mm
Weight: 9 kg

Secured 6 m hose included.



CO₂ Jets Smoke 50

Secured Hose 10 M

84518



Secured 10 m hose for CO₂ machines.

Secured Hoses With Splitter

85031



Secured 10 m of hose with splitter for CO₂ machines. 3 hoses in total. Connect 2 machines to 1 tank.



CO₂ Gun & Backpack

84341



Range: 5 - 8 m
Fuel: CO₂
Air Pressure: 80 kg
Size: 500 x 200 x 80 mm
Weight: 1.5 kg

Secured 2 m hose included. Backlash included.



CO₂ Torpedo Jet

64487



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 150 W
Range: 5 - 8 m
Control mode: DMX
Fuel: CO₂
Air Pressure: 80 kg
Size: 430 x 430 x 600 mm
Weight: 13.5 kg

Secured 6 m hose included.



CO₂ 5 Head Jet

84339



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 150 W
Range: 5 - 8 m
Fuel: CO₂
Air Pressure: 80 kg
Control mode: DMX
Size: 530 x 520 x 210 mm
Weight: 20.5 kg

Secured 6 m hoses included. Flightcase included.



CO₂ Gun with LED light

85141



Power: 8 AA batteries
LED: Red, green, blue, multi-color
Control mode: Manual
Range: 5 - 15 m
Fuel: CO₂
Air Pressure: 80 kg
Size: 700 x 380 x 50 mm
Weight: 7 kg

Secured 6 m hose included.



CO₂ DJ Cannon

64555



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Range: 5 - 8 m
Fuel: CO₂
Air Pressure: 80 kg
Size: 1100 x 110 x 110 mm
Weight: 6 kg

Stainless steel, handheld DJ Cannon. Secured 6 m hose included.



Strong CO₂ Jet

84630



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Range: 12 - 15 m
Fuel: CO₂
Control mode: DMX
Size: 700 x 670 x 420 mm
Weight: 19 kg

Secured 6 m hoses included. Flightcase included.



CO₂ Jets Smoke 50

10 Smoke CO₂ Jets



ADD A
LITTLE
CONFETTI
EACH DAY

Looking to add some color and fun to your event? Check out our large assortment of confetti and confetti launchers.

Confetti 51

FX Powder



66194	FX powder 500g neon green
66195	FX powder 500g neon yellow
66196	FX powder 500g neon orange
66197	FX powder 500g neon pink

FX Powder Shooter

66198	40 cm powder shooter manual neon yellow
66199	40 cm powder shooter manual neon green
66200	40 cm powder shooter manual neon orange
66201	40 cm powder shooter manual neon pink

Electric Shooters

66202	40 cm powder shooter electric neon yellow
66203	40 cm powder shooter electric neon green
66204	40 cm powder shooter electric neon orange
66205	40 cm powder shooter electric neon pink



High Quality Confetti Cannon



66417 66418 66419 66420 66421 66422 66423 66424 66425 66426
orange purple green red blue pink silver black multi gold



Empty Holder

66254



Empty holder 50 with confetti
Size 50 cm

Color Confetti Cannon



66265 66272 66271 66270 66267 66266 66268 66269
silver white red pink blue green yellow multi

Color Confetti Cannon



66265 66266 66267 66268 66269 66270 66271 66272
silver yellow blue pink red green multi black

Traffic Sign Confetti Cannon



66283 66285 66286 66287 66288 66289 66290 66291
70" 71" 70" 70" 70" 70" 70" 70"

Baby Confetti Cannon



66295 66296 66297 66298

Money Confetti Cannon



66299 66300

Confetti Cannon With Parachute

66281



Size 50 cm

Wedding Confetti Cannon



66158 Wedding cannon with heart shaped confetti 40 cm
66163 Wedding cannon with heart shaped confetti 60 cm
66161 Wedding cannon with heart shaped confetti 24 cm

Country Confetti Cannon



66282 Italy confetti cannon 40 cm
66283 France confetti cannon 40 cm
66284 Germany confetti cannon 40 cm
66285 USA confetti cannon 40 cm
66286 Denmark confetti cannon 40 cm

Confetti Cannon



66127 Confetti cannon mixed colors 40 cm
66128 Confetti cannon mixed colors 60 cm
66129 Confetti cannon mixed colors 40 cm
66130 Confetti cannon mixed colors 20 cm



Tissue Slowfall Confetti



1 kg 2 x 5 cm
Premium quality
Fire retardant
Coloured

Snowfall Confetti

66180



1 kg 5.8 x 2 cm
Premium quality
Fire retardant
Coloured

Quik Load Confetti

66178



100g assorted
Party pack for easy load
2 x 5 cm
Premium quality
Fire retardant
Coloured

Foil Slowfall Confetti



1 kg 2 x 5 cm
Premium Quality
Fire retardant
Coloured

Oktoberfest Confetti Cannon



66328 Size 20 cm
66329 Size 40 cm



Transparent Confetti Cannon

Size with 12 cannons mixed colors (cylindrical)



66331 gold

66332 silver



66333 white

66334 multi

Confetti Poppers



66129 Box with 24 poppers 20 cm
66132 Box with 24 poppers 15 cm
66139 3 mixed poppers 11 cm



Tissue Paper Heart Confetti

66176



1 kg 4.5 x 4.5 cm
Premium quality
Fire retardant
Coloured

Tissue Paper Streamer

66176



25 rolls 2 x 500 cm
Colors yellow, blue, red or white
Premium quality
Fire retardant
Coloured

Tissue Paper Pumpkin Confetti

66192



1 kg 8 cm 8 x 8 cm
Premium quality
Fire retardant
Coloured

Tissue Streamer Gold or Silver

66193



25 rolls 2 x 500 cm
Premium quality
Fire retardant
Coloured

T-Shirt Shooter

66365



Shooter for all kinds of promo material like T-shirts, candy, gadgets and toys. 7 shot per sec.

Gift Gun

84634



Power: 100 W
Range: 100 to 200 m
Control mode: Manual
Weight: 1.5 kg

The gun can shoot T-shirts, gadgets, candy, confetti, paper... Secured 3 m rope out.



Electronic Confetti Cannons

66103 50 cm mixed colors confetti
66101 80 cm mixed colors confetti
66102 60 cm silver confetti
66101 80 cm silver confetti
66103 60 cm white confetti
66104 60 cm gold confetti
66102 50 cm mixed colors confetti
66101 80 cm mixed colors confetti
66102 60 cm mixed colors confetti
66101 80 cm mixed colors confetti
66102 60 cm mixed colors confetti
66101 80 cm mixed colors confetti



1 - Head Confetti Launcher

84674



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 100 W
Control mode: Direct
Size: 200 x 100 x 200 mm
Weight: 5 kg

Use with the Stage Effects electric systems.



Single Shot Confetti Launcher

66179



Voltage: AC 100 - 240 V
Control mode: Direct control / wireless control
Size: 150 x 100 x 400 mm
Weight: 2.5 kg

Use with the Stage Effects electric systems.



4 - Head Confetti Launcher

84430



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Power: 100 W
Control mode: Direct
Size: 200 x 200 x 100 mm
Weight: 7 kg

Use with the Stage Effects electric systems.



3 - Head Confetti Gun

84633



Power: 12 V
Control mode: Manual / wireless control
Size: 370 x 90 x 200 mm
Weight: 2.5 kg

Use with the Stage Effects electric systems.



Multi Shot Launcher

66/903



Power: 12 V DC and rechargeable
Control mode: Manual / wireless control
Size: 495 x 195 x 240 mm
Weight: 12 kg

10 shots per sec.

Use with the Stage Effects electric systems.



Roof Blower

84631



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Control mode: Wireless control / Direct
Size: 600 x 600 x 100 mm
Weight: 5 kg



Confetti Aspirator

84402

Voltage.....AC 100 - 240 V
Frequency.....50 - 60 Hz
Power.....1800 W
Control mode.....Manual
Control mode.....remote control
Range.....Up to 8 - 9 m
Size.....345 x 280 x 250 mm
Weight.....8 kg

This machine sucks up the confetti and shoots it away up to 8 m.



Gold Cannon

66/3308

Power.....12 V DC and rechargeable battery
Control mode.....Manual, wireless control
Range.....Up to 6 - 8 m
Size.....160 x 700 x 930 mm
Weight.....39 kg

8 shots, one by one

Use with the Stage Effects electro cannons.



Ribbon Emitter, Launcher

64558

Voltage.....AC 100 - 240 V
Frequency.....50 - 60 Hz
Power.....30 W
Control mode.....Manual, DMX
Range.....Up to 10 - 15 m
Size.....190 x 100 x 480 mm
Weight.....2.5 kg



Co² Bottle

64557

Size.....100 mm



Stage Shot Machine

84403

Voltage.....AC 100 - 250 V
Frequency.....50 - 60 Hz
Power.....100 W
Control mode.....Power Control
Range.....Up to 15 m (distance)
Control mode.....remote 8 - 12 m
Fuel.....Heads CO₂ or compressed air
Size.....290 x 250 x 480 mm
Weight.....3.5 kg

Launch confetti shots into your crowd.



Stage Shot Machine XL

84635

Voltage.....AC 100 - 240 V
Frequency.....50 - 60 Hz
Power.....100 W
Control mode.....Power control
Control mode.....DMX
Range.....Up to 25 m (distance)
Control mode.....confetti 12 m
Fuel.....Heads CO₂ or compressed air with after use
Size.....370 x 630 x 550 mm
Weight.....36 kg

Launch confetti shots into your crowd.

Highpower incl.



Double Confetti Cannon

64568

Voltage.....AC 100 - 240 V
Frequency.....50 - 60 Hz
Power.....2000 W
Control mode.....Manual, wireless control
Range.....Up to 8 - 9 m
Size.....550 x 470 x 600 mm
Weight.....15.5 kg

Easy to use confetti machine with perfect projectile motion table.



Confetti Blower

66/3203

Voltage.....AC 100 - 240 V
Frequency.....50 - 60 Hz
Power.....No need for CO₂
Control mode.....Manual
Range.....Up to 8 - 10 m
Size.....1350 x 1100 x 450 mm
Weight.....33 kg



Small CO₂ Confetti Cannon

84342

Power.....CO₂ from tank
Range.....Up to 12 - 15 m
depending on the size of the CO₂ bottle
Size.....280 x 340 x 700 mm
Weight.....15 kg

Small size CO₂ confetti cannons allow perfect results. Can be used indoors and outdoors.

Highpower incl.



Large CO₂ Confetti Cannon

84632

Power.....CO₂
Range.....Up to 15 - 20 m
Size.....540 x 670 x 450 mm
Weight.....25 kg

Very powerful machine for outdoor use with 12" dual chamber for confetti fans in the air.

Highpower incl.





A LITTLE
SOMETHING
EXTRA

Stage-Effects provides the tools to create impressive structures, incredible showpieces or simply that vital final touch that makes all the difference.

Extra 77

Round Truss

84469	Round truss 20 x 20 x 400 cm dia
84470	Round truss 30 x 30 x 600 cm dia




Round Truss Fabric

84471

84471	Fire resistant truss fabric 400 cm white
84472	Fire resistant truss fabric 600 cm white

We produce custom fabrics in any size on demand.



Square Iron Trusses 20 x 20

85167	20 x 20 x 50 cm
84035	20 x 20 x 60 cm
84271	20 x 20 x 90 cm
84272	20 x 20 x 100 cm
84278	20 x 20 x 120 cm
84275	20 x 20 x 200 cm

Screws are included with every truss.



Truss Sleeve



84468	white 30 x 30 x 500 cm
85158	black 30 x 30 x 500 cm

Searchlight truss sleeve.
A perfect fit around the truss.



LED Truss Sleeve

84348



Voltage	AC 100 - 240 V
Frequency	50 - 60 Hz
LED	32 LEDs
Size	130 x 200 mm

Perfect fit for the truss.
Velcro closing.
Available with blue or white LEDs.

Light Stand Set

84197



Material	Aluminum
Color	Black
Load capacity	100 kg
Height	Adjustable range 200 - 600 cm
Tube dia	55 - 58 mm
Width	200 cm
Tube dia	120 mm
Weight	16 kg

Single Light Stand

84198



Material	Aluminum
Color	Black
Load capacity	50 kg
Height	Adjustable range 150 - 200 cm
Tube dia	55 - 58 mm
Tube dia	200 mm
Weight	8.4 kg

Speaker Stand

84196



Material	Aluminum
Color	Black
Load capacity	20 kg
Height	Adjustable range 110 - 130 cm
Tube dia	55 - 58 mm
Weight	2.4 kg

Foldable DJ Booth



84927 White
84928 Black

The Stage Effects foldable mobile DJ booth is a sleek portable DJ stand. A high-impact visual solution for any mobile DJ or Club DJ where it can also be used for AV presentations, exhibitions and conferences with its eye-catching design.

Easy to assemble and transport
Transportation bag included



DJ Booth: **Extra** 81

Mirror Decoration



66117 Mirror ball silver 20 cm
66095 Mirror ball silver 30 cm
66359 Mirror ball silver 50 cm
66194 Mirror ball silver 80 cm
66428 Mirror ball gold 20 cm
66427 Mirror ball gold 30 cm
66429 Mirror ball gold 50 cm
66196 Mirror tube 60 cm
66197 Mirror tube 80 cm
66195 Mirror heart 50 cm
66360 Mirror star 25 cm
66361 Mirror star 40 cm
66362 Mirror circle 50 cm
66363 Mirror circle 80 cm
66364 Mirror moon 50 cm

Mirror: **Extra** 83

Led Pin Spot

84269



Voltage: AC 100-240 V
Frequency: 50-60 Hz
Power: 6 W
LED: 5.0W white light
Size: 140 x 75 x 150 mm
Weight: 0.5 kg

Designed for mirror ball
Compatible for rich colorful color
6 grade lens



LED Pin Spot RGBW

85221



Voltage: AC 100-240 V
Frequency: 50-60 Hz
Power: 30 W
LED: 1 x 30 W RGBW LED
Control mode: Auto play, sound
DMX: 2 channels
Display: LED
Size: 170 x 140 x 230 mm
Weight: 2 kg

Suitable for indoor use
Variable colored in each model housing



Small Rotating Engine

66198 Electric engine for small mirror ball (20/40 cm)



66097 Battery powered engine for small mirror ball (20/40 cm)

Heavy Duty Engine

84288



Voltage: AC 100-240 V
Frequency: 50-60 Hz
Power: 1 x 24W LED RGBW
Size: 270 x 270 x 170 mm

Heavy duty engine for mirror ball
200-100 cm with cable and vehicle
included ring for large mirror ball
2 pieces included




Metallic Decoration



84202 25 x 200 cm (h x w)
84203 50 x 100 cm (h x w)
84204 100 x 300 cm (h x w)

Available in:
Blue and pink, gold, silver and green



84397 silver 240 x 300 cm (h x w)
84398 gold 270 x 300 cm (h x w)



84161 200 x 100 cm for x10
Door curtain
Available in red, gold and silver

BA **Extra** Metallic decoration

82 **Extra** Mirror

Metallic Decoration



Metallic decoration **Extra** 85

Multifunctional Megaphone

64468



Power 4 D batteries
 Sound 40 dB
 RMSmax 2000 W
 Size 115 x 245 mm
 Weight 0.5 kg

Capable of recording 6 sec.
 integrated microphone.

Multifunctional Megaphone XL

64622



Power 8 D batteries
 Sound 45 dB
 RMSmax 2000 W
 Size 200 x 250 mm
 Weight 0.65 kg

Capable of recording 12 sec.
 Microphone included.



85 **Extra** Sound

Portable Sound System

84378



Voltage AC 100 - 240 V
 Frequency 50 - 60 Hz
 Configuration 1 P
 Frequency range 45 Hz - 20 kHz
 Power 300 W
 Nominal impedance 4 ohms
 Sensitivity (1W/1m) 96 dB
 Crossover frequency 3.5 kHz
 Max SPL 117 dB
 Input connectors 6.35 J4C4, RCA
 Support USB, SD, Bluetooth, FM
 Size 160 x 110 x 110 mm
 Weight 2.5 kg

With wheels for easy transportation.

Active Speaker System

84672

System power 1300 W
 Sensitivity power 800 mW/ohm
 Subwoofer 800 mW/ohm
 Subwoofer components 6.5" woofer x 4 and 17.5" woofer x 2 (12 mag speaker)
 System freq. resp. 50 Hz - 20 kHz
 Subwoofer freq. resp. 65 Hz - 20 kHz
 Subwoofer freq. resp. 30 Hz - 200 Hz
 Input 2 speaker connectors
 Subwoofer dimensions 300 x 100 x 242 mm
 Net weight 25 kg
 Subwoofer dimensions 516 x 593 x 650 mm
 Net weight 40.5 kg

Intelligent electronic protection systems. Lightweight neodymium speaker. Highly controlled sound diffusion. Excellent sound quality and speech intelligibility.

Available in black or white.
 3 figurines included.



Sound **Extra** 87

Power Drop Machine

84429



Voltage AC 100 - 240 V
 Frequency 50 - 60 Hz
 Power 60 W
 Carrying capacity 80 kg
 Control mode Remote control, DMX
 Size 330 x 100 x 115 mm
 Weight 2 kg

Control curtain drop effect for curtains.
 Buttons not visible for party take power.
 Link to connect most machines for professional synchronous use.



4 Channel Remote Control Firing System

84490



Voltage AC 100 - 240 V
 DC 1.2 V
 Control mode Manual, wireless remote
 Size 210 x 130 x 160 mm
 Weight 1.2 kg

4-way fire system for pins or confetti
 cannons, in fountains.



4 Channel Remote Control Firing System

84675



Power 2 AA batteries per
 firing system
 Range 50 - 300 m
 Cards included Wireless remote
 Size 130 x 210 x 125 mm
 Weight 1 kg

Capable of firing 4 shots one by one or
 all together.



8 Channel Remote Control Firing System

84676



Power 2 AA batteries per
 firing system
 Range 50 - 300 m
 Cards included Wireless remote
 Size 110 x 210 x 125 mm
 Weight 1 kg

Capable of firing 4-8 shots one by one or
 all together.



88 **Extra** Trigger

XLR DMX Transmitter/Receiver

84375



Voltage: DC 12 V 500 mA/min
Cable distance: 300 m (cable distance)
Transmitting power: 20 dBm
Receiver sensitivity: -94 dBm
Signal output: 5-pin DMX 3-0-1

Transmitter/Receiver standard DMX control cable of common and the master-slave on the signal at the same kind of lighting each other. 128 frequencies band, PWM design, and frequency hopping synchronization automatically. 7 groups ID code to set these address numbers. They without any interference each other in the same place.



6 Channel DMX Controller

84673



Voltage: DC 9 V 500 mA
Size: 100 x 135 x 55 mm
Weight: 0.6 kg

Master slider can adjust the values of 1-6 channels and provide total control towards the overall DMX output.
Fader 1-6 provide direct control over the corresponding channels and the intensity for connected lighting.



DMX Controller

64607



Voltage: DC 9 V 500 mA
adapter included
Channels: 192
MIDI interface: IN / OUT / THRU
Size: 140 x 135 x 75 mm
Weight: 2.2 kg

DMX controller for a total of 192 channels. 32 working banks, up to 240 scenes. 8 programmable chase sequences. Independent fog machine control and built-in microphone for sound-active mode.



Hanging Advertisement Screen

84305

Voltage: AC 100 - 240 V
Power: 10 W
Control mode: Remote software (not for USB)
Storage capacity: 8 GB
Max. res. ratio: 1920 x 1080 / 4:3
Video area: 950.24 x 523.25 mm
Video support: MPEG-4 / MPEG-2 / AVCHD / H.264
Image support: BMP / JPEG / PNG / GIF
Audio support: MPEG-1 Layer 1 / 2 / 3
MPEG-4 AAC / AAC-LC / HE-AAC / AAC-LC
MPEG-2 AAC / AAC-LC / HE-AAC / AAC-LC
MPEG-2 AAC / AAC-LC / HE-AAC / AAC-LC

Modern, sleek design.



Standing Advertisement Screen

84306

Voltage: AC 100 - 240 V
Power: 10 W
Control mode: Remote software (not for USB)
Storage capacity: 8 GB
Max. res. ratio: 1920 x 1080 / 4:3
Video area: 950.24 x 523.25 mm
Video support: MPEG-4 / MPEG-2 / AVCHD / H.264
Image support: BMP / JPEG / PNG / GIF
Audio support: MPEG-1 Layer 1 / 2 / 3
MPEG-4 AAC / AAC-LC / HE-AAC / AAC-LC
MPEG-2 AAC / AAC-LC / HE-AAC / AAC-LC
MPEG-2 AAC / AAC-LC / HE-AAC / AAC-LC

Modern, sleek design. Glossy and deep black model. Solid on wheeled stand.



Bluetooth Receiver For DMX Controller

85223

Rating: DC 5 V 500 mA
Charger: DC 5 V 500 mA
Signal: Bluetooth signal from Stage-Effects app
Distance: 10 m
Signal output: 5-pin DMX 3-0-1

Can connect to a device. Control your effects with your smartphone using the free DMX control app for iOS and Android.

Color fades, strobes, auto play, colors, fog machines, outside machines... all from your smartphone.



- Complete Wireless control
- Operate multiple devices from your smartphone
- Free user-friendly app



FOL

FOIL BALLOONS

Foil balloons are a must-have accessory for any festive occasion! Our high quality foil balloons come in all shapes, colors and sizes.

Traffic Sign Foil Balloons

Size 30 x 40 cm



Balloon Weight Bag

Size 10 cm



Traffic Sign Foil Balloons 93

Letter Foil Balloons On Stick

Size 47 cm



Letter Foil Balloons

Size 102 cm



Numbers & Letters Foil Balloons 95

Letter Foil Balloons On Stick

Size 47 cm



Letter Foil Balloons

Size 102 cm



94 Foil Balloons Numbers & Letters

Letter Foil Balloons On Stick

Size 47 cm



Letter Foil Balloons

Size 102 cm



95 Foil Balloons Numbers & Letters

Number Foil Balloons On Stick



Number Foil Balloons On Stick



Number Foil Balloons



Number Foil Balloons



Numbers & Letters **Foil Balloons** 97

Punctuation Foil Balloons



Round Foil Balloons On Stick



Foil Balloon Display



Round Foil Balloons



Round Foil Balloons **Foil Balloons** 99

Number Foil Balloons




Number Foil Balloons On Stick



Star Foil Balloons On Stick




Star Foil Balloons



Star Foil Balloons



Star Foil Balloons



100 **Foil Balloons** Star Foil Balloons



90 **Foil Balloons** Numbers & Letters

Figure 1 shows seven heart-shaped balloons of different colors: grey, pink, purple, blue, teal, yellow, and red. They are arranged in two rows. The top row contains four balloons (grey, pink, purple, blue) and the bottom row contains three (teal, yellow, red). A scale bar at the top indicates 20 cm.

Size: 80,5 x 75 cm

94717	94716
94721	94718
94726	94725

WIKAP

93003
94 x 150 cm

94010
100,7 x 94,3 cm

93108
61 x 94,3 cm

94006
52,5 x 45 cm

94314
50 x 90 cm

95116
50 x 100 cm

95115
100 x 39 cm

95113
100 cm

95114
56,2 x 46 cm

94700
50 x 51 cm

95114
90 x 55 cm



80121
51,2 x 14,5 cm

80120
51,2 x 14,5 cm

80129
51,2 x 14,5 cm

80133
55 x 70 cm

80180
85 x 70 cm

80115
85 x 70 cm

80125
80,5 x 27 cm

80130
80,5 x 28 cm

80118
On Stock
95 x 84 cm

80124
80,5 x 28 cm

80105
100 x 40,5 cm

80126
80,5 x 28 cm

80127
80,5 x 28 cm

80128
80,5 x 28 cm

80129
80,5 x 28 cm

80130
80,5 x 28 cm

80131
80,5 x 28 cm

80132
80,5 x 28 cm

80133
80,5 x 28 cm

80134
80,5 x 28 cm

80135
80,5 x 28 cm

80136
80,5 x 28 cm

80137
80,5 x 28 cm

80138
80,5 x 28 cm

80139
80,5 x 28 cm

80140
80,5 x 28 cm

80141
80,5 x 28 cm

80142
80,5 x 28 cm

80143
80,5 x 28 cm

80144
80,5 x 28 cm

80145
80,5 x 28 cm

80146
80,5 x 28 cm

80147
80,5 x 28 cm

80148
80,5 x 28 cm

80149
80,5 x 28 cm

80150
80,5 x 28 cm

80151
80,5 x 28 cm

80152
80,5 x 28 cm

80153
80,5 x 28 cm

80154
80,5 x 28 cm

80155
80,5 x 28 cm

80156
80,5 x 28 cm

80157
80,5 x 28 cm

80158
80,5 x 28 cm

80159
80,5 x 28 cm

80160
80,5 x 28 cm

80161
80,5 x 28 cm

80162
80,5 x 28 cm

80163
80,5 x 28 cm

80164
80,5 x 28 cm

80165
80,5 x 28 cm

80166
80,5 x 28 cm

80167
80,5 x 28 cm

80168
80,5 x 28 cm

80169
80,5 x 28 cm

80170
80,5 x 28 cm

80171
80,5 x 28 cm

80172
80,5 x 28 cm

80173
80,5 x 28 cm

80174
80,5 x 28 cm

80175
80,5 x 28 cm

80176
80,5 x 28 cm

80177
80,5 x 28 cm

80178
80,5 x 28 cm

80179
80,5 x 28 cm

80180
80,5 x 28 cm

80181
80,5 x 28 cm

80182
80,5 x 28 cm

80183
80,5 x 28 cm

80184
80,5 x 28 cm

80185
80,5 x 28 cm

80186
80,5 x 28 cm

80187
80,5 x 28 cm

80188
80,5 x 28 cm

80189
80,5 x 28 cm

80190
80,5 x 28 cm

80191
80,5 x 28 cm

80192
80,5 x 28 cm

80193
80,5 x 28 cm

80194
80,5 x 28 cm

80195
80,5 x 28 cm

80196
80,5 x 28 cm

80197
80,5 x 28 cm

80198
80,5 x 28 cm

80199
80,5 x 28 cm

80200
80,5 x 28 cm

80201
80,5 x 28 cm

80202
80,5 x 28 cm

80203
80,5 x 28 cm

80204
80,5 x 28 cm

80205
80,5 x 28 cm

80206
80,5 x 28 cm

80207
80,5 x 28 cm

80208
80,5 x 28 cm

80209
80,5 x 28 cm

80210
80,5 x 28 cm

80211
80,5 x 28 cm

80212
80,5 x 28 cm

80213
80,5 x 28 cm

80214
80,5 x 28 cm

80215
80,5 x 28 cm

80216
80,5 x 28 cm

80217
80,5 x 28 cm

80218
80,5 x 28 cm

80219
80,5 x 28 cm

80220
80,5 x 28 cm

80221
80,5 x 28 cm

80222
80,5 x 28 cm

80223
80,5 x 28 cm

80224
80,5 x 28 cm

80225
80,5 x 28 cm

80226
80,5 x 28 cm

80227
80,5 x 28 cm

80228
80,5 x 28 cm

80229
80,5 x 28 cm

80230
80,5 x 28 cm

80231
80,5 x 28 cm

80232
80,5 x 28 cm

80233
80,5 x 28 cm

80234
80,5 x 28 cm

80235
80,5 x 28 cm

80236
80,5 x 28 cm

80237
80,5 x 28 cm

80238
80,5 x 28 cm

80239
80,5 x 28 cm

80240
80,5 x 28 cm

80241
80,5 x 28 cm

80242
80,5 x 28 cm

80243
80,5 x 28 cm

80244
80,5 x 28 cm

80245
80,5 x 28 cm

80246
80,5 x 28 cm

80247
80,5 x 28 cm

80248
80,5 x 28 cm

80249
80,5 x 28 cm

80250
80,5 x 28 cm

80251
80,5 x 28 cm

80252
80,5 x 28 cm

80253
80,5 x 28 cm

80254
80,5 x 28 cm

80255
80,5 x 28 cm

80256
80,5 x 28 cm

80257
80,5 x 28 cm

80258
80,5 x 28 cm

80259
80,5 x 28 cm

80260
80,5 x 28 cm

80261
80,5 x 28 cm

80262
80,5 x 28 cm

80263
80,5 x 28 cm

80264
80,5 x 28 cm

80265
80,5 x 28 cm

80266
80,5 x 28 cm

80267
80,5 x 28 cm

80268
80,5 x 28 cm

80269
80,5 x 28 cm

80270
80,5 x 28 cm

80271
80,5 x 28 cm

80272
80,5 x 28 cm

80273
80,5 x 28 cm

80274
80,5 x 28 cm

80275
80,5 x 28 cm

80276
80,5 x 28 cm

80277
80,5 x 28 cm

80278
80,5 x 28 cm

80279
80,5 x 28 cm

80280
80,5 x 28 cm

80281
80,5 x 28 cm

80282
80,5 x 28 cm

80283
80,5 x 28 cm

80284
80,5 x 28 cm

80285
80,5 x 28 cm

80286
80,5 x 28 cm

80287
80,5 x 28 cm

80288
80,5 x 28 cm

80289
80,5 x 28 cm

80290
80,5 x 28 cm

80291
80,5 x 28 cm

80292
80,5 x 28 cm

80293
80,5 x 28 cm

80294
80,5 x 28 cm

80295
80,5 x 28 cm


80296
80,5 x 28 cm

80297
80,5 x 28 cm

80298
80,5 x 28 cm


80

Round Arch Balloons



Arch Foil Balloons **Foil Balloons** 106

Heart Arch Balloons



104 **Foil Balloons** Arch Foil Balloons

Balloon Stand

84990



Balloon Arch

84988



Heart Balloon Arch

84987



Balloon Table Arch

84989



Arch Balloons kit **Foil Balloons** 107

Helium Tank

84996



Mini Helium Tanks

85010



Helium Tank

84995



Balloon Inflator

85150



105 **Foil Balloons** Helium Tanks / Balloon Inflators

Double Balloon Inflator

85149

Double balloon inflator with
handpump, manometer and ribbon
cutter for foil and latex balloons



Balloon Inflator

85148

Balloon inflator with manometer
and ribbon cutter



Rubber Nozzle

85151

2 rubber nozzles with screw



Robe Cutters

85153

2 robe cutters



Sticky Dots

85173

Sticky dots on roll
5 m



Balloon inflators / deco **Foil Balloons** 109


Balloon Release Net

85170

Balloon release net
Suitable for approx. 200 pcs. size 22.9 cm latex
natural inflated balloons

85171

Balloon release net large
Suitable for approx. 500 pcs. size 22.9 cm latex
natural inflated balloons



110 **Foil Balloons** Balloon Release Net

Balloon Drop Net

85168

Balloon drop net
Suitable for approx. 200 pcs. size 22.9 cm inflated balloons
Unfolded size: 4.5 m x 2.1 m



85169

Balloon drop net large
Suitable for approx. 500 pcs. size 22.9 cm
inflated balloons
Unfolded size: 5.6 m x 2.5 m



Balloon Drop Net **Foil Balloons** 111

Balloon Weights

Size: 12 cm



Balloon Weights Bag

Size: 15 cm



Balloon Weights

84579

Size: 15 cm



112 **Foil Balloons** Balloon Weights



GET SOME AIR

Inflatables are a convenient and whimsical way to call attention, add some atmosphere or simply entertain the kids. Check out our range with LED lighting for a playful added dimension.

Inflatables 113

Inflatable Spike Star

84043



Power: 4 AA batteries (not included)
Size: 80 cm
White fabric, built-in fan



Inflatable LED Star

84044



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Control mode: Wireless remote
Size: 210 cm
Inflatable star with light color changes, 16 colors, 4 programs, dimmable, built-in fan



Inflatable LED Grape

84352



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Control mode: Wireless remote
Size: 110 x 200 cm

Inflatable grape cluster with light color changes, 16 colors, 4 programs, dimmable, built-in fan



Inflatable LED Spike Star

84104



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Control mode: Wireless remote
Size: 110 cm

Inflatable spike star with light color changes, 16 colors, 4 programs, dimmable, built-in fan




Inflatable LED Cone

84106

Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Control mode: Wireless remote
Size: 270 cm

Inflatable LED cone with light color changes, 16 colors, 4 programs, dimmable

Inflatable LED Arch

84569

Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Control mode: Wireless remote
Size: 800 cm

Inflatable arch with light color changes, 16 colors, 4 programs, dimmable, built-in fan

Inflatables 115

Inflatable LED Column

84109

Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Control mode: Wireless remote
Size: 300 cm

Inflatable column with light color changes, 16 colors, 4 programs, dimmable

Inflatable LED Tent

84107

Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Control mode: Wireless remote
Size: 270 x 600 cm

Inflatable tent with light color changes, 16 colors, 4 programs, dimmable, built-in fan

DC Fan

85238

Power: 12V DC - 2W DC (6 x AA)
Size: 80 x 80 x 25 mm

Silent fan with 2 protection grids, Battery holder for 4 AA batteries

Inflatable Arch + Blower

64615

Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Size: 220 x 220 x 200
Blower: 1.5 m/s

120, 5 and 10 m/s with valves:
- Welcome
- Happy Birthday
- Goodbye
- Congratulations
- Love

116 Inflatables

Skydancers

- 84111.....Skydancer 600 cm
White, blue or red
750W CE blower included
- 84112.....Fabric for skydancer 600 cm
White, blue or red
- 64614.....Skydancer 1500 cm
White, black, green, blue, red or yellow
1100W CE blower included
- 84110.....Fabric for skydancer 1500 cm
White, black, green, blue, red or yellow



Bull Pen

SE-064



Sturdy bull with inflatable fence
600 x 600 x 300 cm

Castle

SE-187



Bouncy castle with roof
300 x 300 cm
CE blower included


Sports

SE-053



Bouncy castle with slide
600 x 600 cm
CE blower included

**MORE BOUNCING CASTLES
AVAILABLE**
Please check current stock list.



Stork
84467

Bunny
84465

750 W Blower included!

Pacifier
84463

Flower
84464

Palm Tree
84466



Groom
64610

750 W Blower included!


Clown
64623

Bride
64609

Abraham
64612

Sarah
64613

Baby
64611



**TIME TO
LOUNGE**

Gorgeous luminescent objects,
luxurious drapes and curtains
and stylish ornaments. Enjoy
the style and atmosphere of the
Stage Effects lounge products.



LED Seat

84117



Power: Rechargeable battery
Control mode: Wireless remote
Size: 40 x 40 x 40 cm

This LED cube can be used as a chair or coffee table decoration.
Features light color changes (16 colors) & programs and is completely dimmable.



Lounge 121



Small LED Pot / Ice Bucket

84116



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Control mode: Wireless remote
Size: 30 x 30 x 40 cm

Small pot or ice bucket.
Light color changes, 16 colors & programs, dimmable.



Square LED Pot

84308



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Control mode: Wireless remote
Size: 110 x 110 x 110 cm

Big square planter or decoration.
Light color changes, 16 colors & programs, dimmable.



Big Round LED Pot

84121



Voltage: AC 100 - 240 V
Frequency: 50 - 60 Hz
Control mode: Wireless remote
Size: 60 x 60 x 60 cm

Big planter or decoration.
Light color changes, 16 colors & programs, dimmable.



122 Lounge



White PVC Palm Tree

84660

Size: 280 cm

White pot included

Lounge Fringe Curtain



80051 Lounge Fringe curtain

200 x 200 cm, 5 x 5 m

Available in Black or White

80050 Lounge Fringe Curtain

200 x 200 cm, 5 x 5 m

Available in Black or White



Lounge 123

Backdrop



84668 Backdrop 6 x 6 m black

84669 Backdrop 6 x 6 m white

84670 Backdrop 2 x 3 m black

84671 Backdrop 2 x 3 m white

With loops on 2 sides



124 Lounge



Pipe & Drape Set

84045

2 PVC tubes 60 x 60 cm

2 x Aluminum adjustable pipe 200 - 310 cm

Aluminum cross beam total 500 cm

Pipe & Drape Extension

84046

1 PVC tube 60 x 60 cm

1 x Aluminum adjustable pipe 200 - 310 cm

Aluminum cross beam total 500 cm





The #1 Budget Decoration Essential!

Use fabric to transform a plain room into a colorful landscape. We offer a wide variety of styles and colors. Sheer fabric, tulle, organza ...

Be creative! Create a divider, ceiling or even a waterfall using just fabric.

Please contact us for more information.







Maxi Balloons

64/10200

Diameter: 102 cm
Circumference: 320 cm

64/10350

Diameter: 115 cm
Circumference: 358 cm

Many colors available




Loounge 125



TIME
TO
PARTY

Put on your party hats! Stage Effects offers a wide range of supplies for any kind of party.

126 Party

Tiki Bar 55/CB200

Size: 240 x 240 x 270 cm



Hawaii Bar 55/CB803

With 6 chairs
Size: 210 x 710 x 240 cm



Party 127

Hawaii Bar 55110

With 2 chairs
Size: 180 x 70 x 240 cm



Umbrella 60042

5 colors (Ø 187 cm)



Palmtree 64545

Size: 180 cm




128 Party

Fresh Juice Maker

64/A5



Magic Flower Candle

84-661



Table Cooler With Ice

64-575



Party 129

Foldable Party Tent

84-981

With bag
Size: 3 x 6 m



Flowerlei

60237

Flowerlei party gift



150 Party

SURPRISE YOUR
AUDIENCE
WITH A GREAT GIFT

Foamstick

65161




Foam Light RGB

65162



Foamstick

Size: 48 cm



Party 131

LED Rings Smiley

53429

Box with 30 jelly LED smiling rings
One Size. Great retro party gadget



LED Rings Mustache

65224


Box with 30 jelly LED mustache rings
One Size. Great retro party gadget



LED Rings Eye

65222

Box with 30 jelly LED eye rings
One Size



Bracelet With Light

53211

4 x 25 cm



150 Party

Sound Activated Bracelet

53847

Flashes synchronously with the music



Glasses With light

65219



Sound Activated Glasses,

65235

Flashes synchronously with the music



Party 133

Headband With Fiberlight

65230



Light Butterfly

65228

50 pieces, light sticks 4 pcs



Maracas With Light

65160

5 pcs



134 Party



Glow Stick Jewel Set

53667

2 glowstick earrings with clips
3 glowstick bracelets
1 short glowstick necklace
Yellow, blue, orange, pink or green



Glow Stick Earrings

53201

2 short glowstick earrings with clips
Yellow, blue, orange, pink or green



Glow Sticks Round Earrings

53204

2 glow stick earrings with clips
Yellow, blue, orange, pink or green



Party 135

Glow Stick Necklace

53200

1 short glowstick necklace
Yellow, blue, orange, pink or green



Glow Stick Tubes

Bracelet

53467

15 pcs, 20 cm with connectors
Mixed colors



Bracelet

53198

100 pcs, 20 cm with connectors
Yellow, blue, orange, pink, green or Mixed

Necklace

53209

100 pcs, 50 cm with connectors
Yellow, blue, orange, pink, green or Mixed

Glow Stick Mouthpiece

53203

1 short glowstick and 1 mouthpiece
Yellow, blue, orange, pink or green



135 Party

Glow Stick Headband

53211



Glow Stick Glasses

53205



Big Glow Stick

53207



Glow Stick Stirrer

53413



Hat

63427



Sequin Hat

63548



Plastic Hat



Short Fishnet Gloves

80063



Tie



Braces



Hairclip

80047



Flower Lei

80048



Glasses

80991



GLITTER PARTY



Braces



Sequin Tie

80818



Short Sequin Gloves

80142



Long Sequin Gloves

60143



5 ans - 48 cm

Flower Lei



Glitter Hat

63280



2 ans - 48 cm - gold

Glitter Hat



Sequin Hat

63389



Glitter Powder

58104



5 ans

COME AND VISIT US
 STAGE EFFECTS by N.V. ESPA S.A. - Europark 1030 - B-5530 Houthalen

PERSONALISED GADGETS



Party gifts with your logo or text.
 We can personalise your gadgets!

- Neon light socks
- Banners
- Glasses
- Headbands
- Fan
- Hat
- Caricats Caricats

Please ask your personal offer!

